

A METAL COLOUR CHART OF 25 COLOURS

UPDATED OFTEN, TO PLAY, TO MIX, TO EXPRESS YOURSELF



LIMITED COLOUR OFFERINGS

CLEVER FURNITURE - PARASOL - ACCESSORIES

			A5 - Clay Grey	C7 - Lapilli Grey	26 - Storm Grey	47 - Anthracite	42 - Liquorice	92 - Deep Blue	21 - Acapulco Blue	02 - Cedar Green	48 - Rosemary	82 - Cactus	65 - Willow Green	D3 - Pesto	D2 - Gingerbread	14 - Nutmeg	B9 - Black Cherry	20 - Red ochre	43 - Chili	93 - Pink Praline	45 - Capucine	C6 / 73 - Honey	A6 - Frosted Lemon	A7 - Ice Mint	83 - Opaline Green	DI - Marshmallow	01 - Cotton white
FURNITU	RE		ı	1																			ı	Г	Г		
BISTRO	Classic chair																										
	Duraflon® chair																										•
	Leather chair NEW																										
NEVADO	NEVADO Log Holder													NEW	NEW												
OULALA	D.O.	New horizons			Р				G															М			
	Set of 3 nesting low tables	Summer romance	Р								G	М															
	Set of S low tab	Solar power															G	М	Р								
PIAPOLO	Stool	NEW												NEW	NEW											NEW	•
SALSA	Collect	tion												NEW	NEW											NEW	•
PARASOL	.S & A	CCESS	ORI	ES																							
ACCROCHE COEURS	Coat st	tand													NEW												
ACROBATE	Peg														NEW												
ALTO	Collect	tion													NEW												
BOUQUET	Trivet o	cactus										NEW															
SAUVAGE	Trivet 1	Monstera									NEW																
CUUB	Set of 3 holders	3 tealight s h.8				Χ		Χ	Χ		Н		-						•	•	•						
IOS	Single-	stem vase													NEW												
ITAC	Collect	ion													NEW												
LORETTE	Trivet																					NEW					
PICOTI	Bird fee	eder NEW													NEW												
TRÈFLE	Trivet			NEW													NEW										

G = Large size - M = Middle size - P = Small size

LIMITED COLOUR OFFERINGS


LIGHTING

		A5 - Clay Grey	C7 - Lapilli Grey	47 - Anthracite	42 - Liquorice	92 - Deep Blue	21 - Acapulco Blue	02 - Cedar Green	82 - Cactus	14 - Nutmeg	B9 - Black Cherry	20 - Red Ochre	67 - Рорру	C6 /73 - Honey
	Lamp H.24													
APLÔ	Wall light bracket													
	Suspension trap													
	Magnetic base													
	Upright stand													
	Set of 3 lamps H.12													
	Lamp H.25													
DALAD	Lamp H.38													
BALAD	Upright stand													
	Offset stand													
	Spike stand													
	String lights L1200 Type E & F													
HOOPIK	String lights L1200 Type I													
	String lights L1200 Type J													
	Lamp Ø 24													
INOUÏ	Lighting stool H.44													
LUDO	Smart switch													
	Wall light ∅ 15													
	Lamp H.41													
	Lamp H.41 MAX													
MOOON!	Lamp H.63													
	Lamp H.134													
	Triple pendant lights Ø 15													
	Pendant lights Ø 25													
ОТО	Lamp H.27													
ULLI	Lamp H.30													



FERMOB

IN A FEW DATES



WELCOME

TO FERMOB

A French company that relies on three high-performance industrial sites located near Lyon

Thoissey: 14,000 m²
 Macôn: 10,000 m²
 Anneyron: 24,000 m²

• Including more than 305 employees

• Turnover of € 121 M in 2022

Fermob: Metalwork

- A splendid and inspiring material
- More than 5,000 tonnes of metal (steel and aluminium) transformed annually
- More than 690,000 parts manufactured annually
- More than 200,000 metal Bistro chairs manufactured in the Thoissey factory each season

Expertise: the mastery of colour

• A unique colour palette with a colour chart composed of 25 colours, updated every year to combine, attract and inspire...

Manufacturing with creative added value

• In-house design studio

A strong reputation in France and abroad, among the general public and professionals

- Marketing in more than 65 countries
- 50% of turnover from exports

Strong values deeply rooted in the culture of the brand and the company

- Joie de vivre
- Affordable
- Inspiring
- Detail-oriented





You can use our product daily all over the world:



Times Square, New York - USA



Coca-Cola Museum, Atlanta - US



Grace Santorini Hotel, Santorin - GREEC



Molitor, Paris - FRANCE





Mc Donald's, Lyon - FRANCE



Bikini Hotel, Berlin - GERMANY



Maxx Royal Hotel, Antalya - TÜRKIYE

FERMOB

THE ART OF GOOD LIVING FOR EVERY SPACE

Cafés that come to life with different chair arrangements, afternoons spent lazing in an armchair under a pergola, meals shared with loved ones around a dining table, a table lamp that can be snuck into the garden to light up your kitchen table...

Since 1989, Fermob has been creating a universal and immediate link between the environment and its inhabitants, bringing reality to life moments, where art and lifestyle are guided by high quality, meaningful design.

Our furniture has timeless appeal: the perfect illustration of French style that has been adopted world-wide. The French brand adorns the world's largest squares as well as tiny Parisian balconies, while also breathing its boundless, colourful energy into every space.

Today, it has not only revolutionized existing outdoor spaces and taken away the barrier between indoor and outdoor living, it also promotes smart ways to merge the spaces.

The furniture thus plays the complementarity card, adopting new materials and colours to step indoors.

Multi-purpose lamps design atmospheres to set the mood from the garden to the living room.



The result?

Avant-garde pieces by designers who combine expert craftsmanship with industrial performance and creative audacity to meet the flexible needs of today's spaces.

A colour chart with 25 shades and a range of clever accessories that create lasting emotions for unique locations that reflect every personality.

This year, Fermob has introduced new materials to its ranges -wood and leather, Exploring the indoor world with new versions of its emblematic products.

In the open air or inside the home, we all have a Fermob experience to enjoy.







FERMOB

MANUFACTURER OF FURNITURE DESIGNED FOR OUTDOOR USE

Fermob has been designing and manufacturing outdoor furniture for 35 years. A universe that requires specific expertise and know-how through adapted materials and treatments.





FERMOB: THE COLOUR EXPERT

A UNIQUE RANGE

Fermob has been famous for colour since 1996. Bernard Reybier quickly understood colour is what makes a garden distinctive, creates atmosphere on a terrace, adds **personality to an item of furniture and establishes a sense of boldness**...

In a market that was once limited to two shades (English Green and White), the brand revolutionised the sector by offering an **original colour chart of bright, intense and contrasting colours.** Today, Fermob has further developed its **colour expertise** with more **subtle shades**, making it possible to **play with different hues** and compose your own palette. **25 unique colours**, 25 ways to make our furniture happy, 25 degrees of intensity, 25 shades of light... Our colours are designed to flourish out there on their own, to be **coordinated** and **bring out the best in each other**. For an **infinite number of combinations**, plenty to make every terrace and patio unique.

We add one or two new shades to our colour chart every year.


Our colours are fit for **demanding outdoor use**. We carry out intensive testing before every launch, so that we can guarantee:

- lightfastness
- scratch resistance
- UV resistance
- moisture resistance



HIGH PERFORMANCE INDUSTRIAL FACILITIES

The company has ensured that it has the means to achieve its ambitions and now owns **the most advanced painting line anywhere in the world**! It takes just **6 minutes to change paint colours** and the line can handle every shade of the colour chart in just 3 days, proving this impressive industrial tool's **flexibility and reactivity**.





Painting process on the historic Thoissey site

All Fermob metal products are painted with a **100% polyester powder coating**, which offers better UV resistance than standard epoxy paints. The paint is **applied electrostatically to the furniture for an optimal coverage**, then baked at very high temperature.

To improve anti-corrosion performance, we apply **surface treatments** (galvanisation, electro-galvanisation, electrolytic coating) **before painting, either as standard or as an added option.**



Electrogalvanising: Protecting an object by applying a layer of zinc using electrolysis (electrical energy).

Galvanisation: Iron protection process that involves dipping a part into a bath of melted zinc.

Electrolytic coating: A surface treatment originally used in the automotive industry. An electrophoresis paint (sub-layer) technique where a part is immersed in a bath of water-soluble paint. Electrolytic coating means that the product benefits from Very High Protection treatment and is suited to intensive use or use in extremely wet/humid environments.

Electrostatic: An eco-friendly painting technique that involves using powder instead of solvent-based paints. An electrostatic force attracts the powder coating to the metal, achieving optimal coverage. The coating is then baked onto the furniture.

FERMOB: A UNIQUE KNOW-HOW

THE METAL: WONDERFUL MATERIAL OF IDEAS

For our furniture, we choose to use **metal** (over 98% recyclable) – the **"material of ideas"**, as Gustave Eiffel put it – on account of its incredible versatility. The metals we use are **premium-grade steel and aluminium.**



STEEL

- Fermob's original expertise
- Stable and durable
- Creates an elegant design



ALUMINIUM

- Malleable
- Light-weight
- Easy to weld



Cold-rolled steel: The laminated steel is passed through a set of rollers, which transform it into material (e.g. into sheet for table top). Cold rolling is Fermob's technique of choice, since it makes the steel resistant, gives it a precise, uniform thickness, and promotes good paint hold.





Whenever our designers and technicians are working on a new product, **anti-corrosion performance is always top of mind.** We're constantly thinking of ways to eradicate, or at least reduce, areas that could be prone to corrosion because they are not protected or treated.

Examples of corrosion-prone areas include:

- rims under table tops
- air gaps
- tubular parts
- areas subject to friction, such as folding mechanisms
- areas where the properties of the material have changed as a result of heat (such as from laser cutting or welding).

Fermob furniture benefits from anti-corrosion treatment specifically for outdoor use and undergoes intensive tests at our laboratories, in accordance with **general standards on safety** (NFEN 581-1), **stability** (NFEN 1022), and **resistance and durability** for collective use (NFEN 581-2, NFEN 581-3).



ANTI-CORROSION PROTECTION RATING

Fermob has introduced a new **Anti-Corrosion Performance Rating (IPAC)** for all metal items of furniture. The rating is an indication of the product's anti-corrosion performance, combining three factors: **design, material and surface treatment.**



Since all our items of furniture are designed for outdoor use, we systematically apply a surface treatment and high-performance outdoor paint to offer the very best protection against corrosion.

On a scale from I to I0, all Fermob furniture has a minimum IPAC rating of 6.



All products bearing this logo are eligible for additional, **optional anti-corrosion treatment** (contact our sales department).

The 1st figure gives the basic rating and the **2nd figure in the upper right-hand corner gives the IPAC after additional treatment**. Depending on the products and their design, the IPAC enhancement may be different.

IMPACT PEOPLE'S MIND

NOT NATURE!

Fermob furniture is designed to live outdoors, and is made using materials and processes that respect the environment. Environmental concerns have always been at the heart of the design and aesthetic qualities of Fermob's creations, together with their lightness and resistance, helping us **save materials** and **limit waste** as well as **transport impact**.

ECO-DESIGN

METAL: AN ENVIRONMENTALLY FRIENDLY CHOICE

Approximatly 98% of all iron and aluminium is now recycled worldwide. This means that Fermob can guarantee that its furniture is fully recyclable – and recycled.

ECOLOGICAL PAINT THAT PROTECTS BOTH THE ENVIRONMENT AND YOUR HEALTH

The powder paint used by Fermob contains **no solvents**. It is **100% recycled and recyclable** and it is applied in a **zero-waste facility,** with successive dips making our products guaranteed for outdoor use.



Zero discharge of polluted water thanks to the use of a carefully balanced successive-dip process in the surface treatment tunnel.



Zero atmospheric emissions heat from the ovens is even recovered to heat the metal treatment baths!



Zero powder waste our solvent-free, 100% polyester powder coating is applied without water via a closed-loop process, meaning that any surplus powder is collected via suction and reused.

Because this facility is a **classified installation on environmental protection grounds**, Fermob has specific obligations and responsibilities that echo its commitment to the environment. The brand is also part of a program that aims to reduce the release of dangerous substances into water.

CONTINUALLY IMPROVING OUR ENVIRONMENTAL IMPACT

Optimising energy consumption remains one of Fermob's key concerns, as regularly demonstrated through concrete actions:

- Reducing the temperature of our ovens (-10°C in 25 years),
- Setting up a stoving process that consumes 10% less energy,
- Investing in a **new painting line**, saving 8 tons of powder per year,
- Reduction in our water use (30% reduction in 5 years),
- Reduction in our electricity use, with the addition of LED lighting (5% reduction in 5 years).

RECYCLED AND RECYCLABLE PACKAGING

For many years, Fermob has been a member of CITEO, our eco-organisation tasked with collecting and sorting packaging.

We help turn our everyday products into new ressources, and we are firm believers in getting the packaging just right-using eco-designed packaging that contains as few raw materials as possible.

CITEO

In compliance with France's AGEC law of 10 February 2020 (anti-waste law to promote the circular economy), we use the TRIMAN system on our labels to inform consumers of the waste sorting rules concerning our furniture, its packaging and documentation. The TRIMAN logo comes with an information box indicating the sorting or waste disposal instructions for the various elements.



EXTENDING SERVICE LIFE

Some of the product components can be replaced if they become worn or damaged over time.

Our catalogue includes a range of spare parts: protective pads for chairs and tables, glide pads, cushion covers, etc. (see detailed list in our price list).

MANAGING END OF LIFE

Fermob has been working with Ecomaison since 2013; this eco-organisation collects and restores used furniture to give it a second life or ensures the recycling of its materials



Ecomaison's missions are to collects and sort used items of furniture, and to meet the recycling and recovery targets set by public authorities. Fermob commits to this process by:

- Upholding a long-standing tradition of creating **eco-designed** products
- Informing and raising awareness among its consumers on the use of eco-participation
- Promoting donation and reuse in partnership with players from the non-profit sector

RE-PAINT

GIVE NEW LIFE TO YOUR FURNITURE



Do you have a piece of Fermob furniture that holds special memories for you? Over the years, the colours of our precious Fermob products may fall out of style or show signs wear.

GIVE NEW LIFE TO YOUR FERMOB FURNITURE, RE-INVENT IT: WE PROPOSE AN INNOVATIVE SOLUTION!

Fermob has joined forces with Axalta, its paint supplier and long-standing partner, to offer a brand-new solution to renovate your Fermob furniture, via a certified network of galvanisation re-paint professionals. Available in France for now.

Exclusive partnership with:



HOW DOES IT WORK?

- 1. Submit your request online via https://re-paint.com/renovation-fermob, selecting your nearest painting renovation professional.
- 2. Fermob checks the authenticity of the furniture, then sends the request to the re-paint professional who validates the feasibility of the renovation and proposes a quotation.
- 3. After validation of the quotation, you drop your Fermob furniture off at the premises of the re-paint professional.
- 4. The re-paint professional renovates your furniture.
- 5. The carefully-finished result will last for years!

KEY FIGURES

- More than 160 eligible Fermob products
- A selection of 15 exclusive Fermob colours
- A network of around forty professionals in France, located within 80km of your address.

Respect of the environment FERMOB STEPS UP ITS COMMITMENTS!

Since the company was founded, **Fermob has naturally strived to protect its environment and create sustainable products**: solvent-free and water-free paint, recyclable materials for its furniture, zero-waste painting process, heat recycling, workstation ergonomics, etc. Our entire manufacturing process complies with the **highest quality standards**.

Today, Fermob takes another step forward, completing its environmental commitments with a **local paint renovation network**: re-paint. Not only does this solution extend the life-time of your Fermob furniture, but being local, it limits the transport involved in the operation and thus **its carbon footprint**. This ambition corresponds perfectly to the challenges of our social responsibility and the changes in our lifestyles.

THE FERMOB GUARANTEE

CHARTER

EUROPEAN FURNITURE GUARANTEE

When we design our products, we pay special attention to three key aspects:

- making sure the piece will continue to fulfil its intended purpose for many years to come
- anticipating how it will age as time passes
- designing it so it is suited to our customers' requirements.

As a manufacturer, we have a duty to guarantee that our products are fit for purpose, no matter how our customers use them.

We never stop listening to our customers. That is why we have amended our European Furniture guarantee to reflect painstaking laboratory testing and customer feedback.

Because we use only the highest-quality materials and finishes, we are now in a position to go one step further and offer two separate guarantees – a **5-year functional guarantee** on all our items of furniture, plus a **2-year ageing guarantee**, provided that the product is used as per our recommendations.





Each of our products comes with a recommended usage setting, so you can better cater to your own customers' requirements and keep the guarantee valid:

- 1. <u>Domestic:</u> product designed for private use in non-public spaces such as gardens, winter gardens, patios, terraces and balconies.
- 2. <u>Professional:</u> product designed for professional use in supervised public spaces such as restaurants, outdoor pools, beaches and recreational facilities.
- 3. <u>Intensive professional:</u> mobile product, not fixed to the ground, designed for professional use in unsupervised public spaces such as motorway service stations, public parks and squares that are accessible around the clock.







5-YEARS FUNCTIONAL GUARANTEE

Fermob guarantees that products will remain fit for the purpose for which they were designed for 5 years. The guarantee covers all functional aspects of the product such as welding, fasteners, rivets and folding.

If a product is not used as per Fermob's recommendations, the functional guarantee is reduced to 2 years.

2-YEARS AGEING GUARANTEE

The speed at which a product ages depends on how carefully it is treated by customers. Please read the exclusions so you can advise customers how to care for and maintain their products.

The ageing guarantee covers premature and abnormal deterioration in the appearance of the product's materials.

Fermob's 2-year ageing guarantee applies in Europe (excluding Russia) only. Elsewhere, the guarantee is 2 years for aluminium furniture and I year for steel furniture.

THE AGEING AND FUNCTIONAL GUARANTEES DO NOT COVER:

- Damaged, converted or modified furniture.
- Furniture not used as per Fermob's recommendations.
- Any damage arising from insufficient care, or from failure to comply with the supplied instructions and advice for receiving, assembling, using, maintaining and storing furniture supplied to the customer.
- Rings or stains undeclared when unpacking (including stains related to a combination of humidity retention + heat).
- General wear and tear or natural fading of the materials used.
- Corrosion originating from scratches or abrasions that result from general wear and tear and which cannot be removed via standard cleaning and maintenance processes.
- Minor spots of rust under table tops and seats or on bases. These are a natural outcome of the material used (iron) and can be treated using the maintenance tools made available to customers by Fermob.
- Corrosion of stainless steel parts due to use in a confined, and/or chlorinated environment.
- Corrosion of steel furniture (including stainless steel furniture) as a result of use in a coastal environment.
- Any changes in the visual appearance of wood that are directly linked to ageing. As wood is a living material, the appearance of its surface changes naturally over time.
- Irregularities in the leather are proof of its authenticity
- Patina and ageing may alter the appearance of the leather over time. Leather is a natural, living material whose surface condition evolves over the years.

This guarantee is limited to reimbursement (with application of a reduction) or replacement of the product, and applies only upon presentation of the purchase receipt (cash register slip or purchase invoice).

EUROPEAN LIGHTING GUARANTEE

Our lamps are subject to the applicable European legal guarantees. They comply with European standards and certifications (e.g. NF EN 62262).

THE LIGHTING GUARANTEE SPECIFICALLY EXCLUDES THE FOLLOWING:

- Modified or transformed lighting products.
- Lighting products that have been repaired using components not supplied by the brand, or without following the instructions provided by Fermob.
- Lighting products that have been used in a way not recommended by Fermob.

The exclusion conditions concerning changes in the appearance of the wood are the same as those for Fermob furniture (see above).

USE DOMESTIC PROFESSIONAL INTENSIVE GUARANTEE 2 YEARS 1 YEAR -

EUROPEAN PARASOL AND ACCESSORY GUARANTEE

Fermob parasols and accessories (cushions, etc.), like our furniture, are designed to last being made from carefully selected materials. They are guaranteed according to European legal conditions.

- Acrylic and PVC textiles are guaranteed against UV, abrasion, mould and tearing.
- Reticulate foam fillings are guaranteed against mould.

GUARANTEE 2 YEARS 1 YEAR -

THE PARASOL AND ACCESSORY GUARANTEES SPECIFICALLY EXCLUDE THE FOLLOWING:

• Modified or transformed parasols or accessories.

THE LIGHTING, PARASOL AND ACCESSORY GUARANTEES SPECIFICALLY EXCLUDE THE FOLLOWING:

- Deterioration due to lack of due care or non-compliance with user instructions for maintenance and storage (for example, closing the parasol during bad weather).
- Marks or stains not declared on unpacking.
- Natural wear and fading of materials used.
- Start of corrosion due to scratches or abrasions caused by use, which cannot be eliminated by normal cleaning and maintenance.
- The exclusion conditions applicable to Fermob furniture also apply to the metal components of lighting products, parasols & accessories (see above).


These guarantees are limited to refunds (on condition that a usage discount is applied) or replacement of the product, and only apply on presentation of proof of purchase (receipt or invoice for the purchase).

For intense use of a light, parasol or product accessory, please contact our sales department, whose teams will provide you with all the information necessary for this type of use.

For all countries outside the European Union, the country's own legal guarantee will apply.

NEW COLOURS







THE FURNITURE COLLECTIONS

SYMBOLS

RECOMMENDED USAGE



IPAC



Anti-corrosion protection index



Optional additional anti-corrosion treatment

COLOURS



No. of available colours for the fabric



No. of available colours for the product

PRODUCT INFORMATION



New products in development. More accurate information coming soon.

FURNITURE SPECIFICITIES



Product for indoor use only



Requires assembly



Removable tray



Folding



Stacking



Adjustable



No. of guests max.



Product fitted with silencing pads

FABRICS CHARACTERISTICS





Machine washable at 30°C



Removable covers



Brush the fabric if there are stains or other marks

GLOSSARY

ACRYLIC

Synthetic fibre that is soft and silky to the touch, does not pill, and is ultra-light.

- extremely resistant to tearing and wear
- rotproof (i.e. prevents the formation of mould)
- keeps its shape
- UV and fade resistant

- does not retain heat or moisture
- resistant to temperature variations (-30° to +70°C)
- resistant to chemicals
- easy to clean: machine-washable at 30°C, no ironing required.

All our acrylic fabrics are water-repellent.

CAST IRON

Cast iron is a carbon-rich iron alloy. Its density, weight and sturdiness mean that it is ideally suited for stability purposes.

COATING

A treatment process in which a coating is applied to the surface of a textile to make it waterproof.

SOLUTION-DYED

Fermob uses solution-dyed textiles (the dye is applied to the fibre, not the surface). This dyeing technique means that the colour lasts five times longer than a conventional dye.

STAINLESS STEEL

Stainless steel is an alloy of steel and chromium that is highly resistant to corrosion and rust. Fermob uses stainless steel to make the screws for its products.

SILENCING PADS



An exclusive, patented technology that allows furniture to slide effortlessly across the floor and features an integrated shock absorber to reduce vibrations. Comes as standard on Croisette, Facto, Kate, Luxembourg®, Luxembourg® Kid table, Monceau, Pétale, Rythmic, Salsa, Stripe and Studie.

NOISE REDUCTION OF 14 DB = 10 TIMES QUIETER!

WATER-RESISTANT

Offers long-lasting protection against moisture.



3280 - ROCKING HORSE DESIGN BY STUDIO FERMOB









Tubular aluminium frame
Curved aluminium sheet seat
PVC pads
Suitable for children over 10 months old
Meets toy safety standards (71-1, 71-2, and 71-3)



2.5 kg



ALFRED

3240 - SIDE TABLE DESIGN BY PASCAL MOURGUE









Tubular steel frame Steel sheet table top Integrated wheels







BASKET

323 I - HIGH PLANTER DESIGN BY FABIO MELIOTA









Steel wire frame
Steel wire handle
Aluminium tray
2 drainage holes at each end of the tray, with plugs
Feet and tray separable



12.5 kg

3230 - LONG PLANTER DESIGN BY FABIO MELIOTA










Steel wire frame
Steel wire handle
Aluminium tray
2 drainage holes at each end of the tray, with plugs
Feet and tray separable



11.5 kg



BEBOP

5627 - SIDE TABLE Ø 35 CM

DESIGN BY TRISTAN LOHNER










Aluminium sheet table top Intermediate table top made from aluminium sheet Curved aluminium sheet base



3.2 kg

5610 - LOW TABLE \varnothing 45 CM

DESIGN BY TRISTAN LOHNER










Aluminium sheet table top Curved steel sheet base Aluminium tube supporting cross-beam under the table top









0101 - METAL CHAIR









Flat steel frame
Curved steel slat seat
Curved steel slat backrest
Plastic clips for safe folding and unfolding
One-piece steel cross-pieces
Compatible with:
BISTRO OUTDOOR CUSHION 38 X 28 CM - BASICS
BISTRO OUTDOOR CUSHION 38 X 30 CM - COLOR MIX



4.8 kg

0104 - 2-SEATER BENCH













Steel flat frame Steel slat seat Steel slat backrest Plastic clips for safe folding and unfolding One-piece steel cross-pieces







0105 - VALET CHAIR DESIGN BY THOMAS BASTIDE











Flat steel frame
Curved steel slat seat
Laser cut steel slat back in the shape of the coat-hanger
Plastic clips for safe folding and unfolding
One-piece steel cross-pieces
Compatible with:

BISTRO OUTDOOR CUSHION 38 X 28 CM - BASICS BISTRO OUTDOOR CUSHION 38 X 30 CM - COLOR MIX



5 kg

5001 - CLASSIC CHAIR










Flat steel frame
Curved, lacquered, natural beech slats seat
Curved, lacquered, natural beech slats backrest
Plastic clips for safe folding and unfolding
One-piece steel cross-pieces
Available colours: see limited colour chart



4 kg

6301 - DURAFLON® CHAIR









Flat steel frame High-quality Duraflon® resin curved slats seat High-quality Duraflon® resin curved slats backrest Plastic clips for safe folding and unfolding One-piece steel cross-pieces Available colours: see limited colour chart




4 kg



Duraflon®: Exclusive to Fermob, this polymer (a type of plastic) is used to manufacture Bistro chair slat. Very similar to metal in design, it is a **light, comfortable material** that is guaranteed to be **sturdy and UV-resistant** and **does not retain heat**.









5107 - NATURAL CHAIR









Flat steel frame

Curved natural beech slats seat treated with Textrol® Curved natural beech slats backrest treated with Textrol® Plastic clips for safe folding and unfolding One-piece steel cross-pieces

4 kg



Textrol®: Natural plant oil-based wood saturator that helps **wood retain its natural appearance for a long time**. Does not form a film or chip off, does not peel away over time, **does not darken under the effect of UV rays**. Fermob uses this product on its Bistro Natural chairs.

0102 - LEATHER CHAIR









Steel flat frame
Leather covered steel slats seat
Leather covered steel slats backrest
Plastic clips for safe folding and unfolding
One-piece steel cross-pieces
Available colours: see limited colour chart



5 kg

The Bistro chair's stats are covered with full-grain leather, promising quality and durability. This mineral tanned leather, a natural material with unrivalled recyclability and immense durability, is respectful of the environment and human health. It is solution-dyed to ensure excellent resistance. The semi-aniline leather guarantees protection against stains and ageing.

1601 - CHAISE LONGUE

DESIGN BY PATRICE HARDY









Flat steel frame
Curved steel slat seat
Curved steel slat backrest
Steel sheet armrests
Adjustable backrest 3 positions (42°-54°-67°)
Adjustment system: painted steel wire
Compatible with:
OUTDOOR CUSHION 171 X 44 CM - BASICS

HEADREST 44 X 15 X 5.5 CM - COLOR MIX

55,5 89 66

14.5 kg

5113 - FOLDABLE BAR CHAIR









Flat steel frame
Curved steel slat seat
Curved steel slat backrest
One-piece steel cross-pieces
Compatible with:
BISTRO OUTDOOR CUSHION 38 X 28 CM - BASICS
BISTRO OUTDOOR CUSHION 38 X 30 CM - COLOR MIX





0270 - BALCONY TABLE 57 X 77 CM

DESIGN BY STUDIO FERMOB











Tubular steel frame Steel sheet table top Adjustable stainless steel fastening system to hang on a balustrade or wall



6042 - TABLE 57 X 57 CM











Steel sheet table top
Flat steel base
Compatible with:
TABLE 57 X 37 CM - BISTRO

TABLE 57 X 37 CM - BISTRO TABLE 77 X 57 CM - BISTRO TABLE 97 X 57 CM - BISTRO



8 kg

0244 - TABLE 71 X 71 CM











Steel sheet table top Flat steel base Parasol hole : pole max. Ø 40 mm



10 kg

0250 - HIGH TABLE 71 X 71 CM












Steel sheet table top Flat steel base



10.8 kg





6034 - TABLE 57 X 37 CM











Steel sheet table top
Flat steel base
Compatible with:
TABLE 57 X 57 CM - BISTRO
TABLE 77 X 57 CM - BISTRO
TABLE 97 X 57 - BISTRO



6.5 kg

0243 - TABLE 77 X 57 CM











Steel sheet table top
Flat steel base
Parasol hole: pole max. Ø 40 mm
Compatible with:
TABLE 57 X 57 CM - BISTRO
TABLE 57 X 37 CM - BISTRO
TABLE 97 X 57 - BISTRO
TABLE 117 X 77 - BISTRO



8.5 kg

0239 - TABLE 97 X 57 CM












Steel sheet table top Flat steel base Parasol hole : pole max. Ø 40 mm

Compatible with:
TABLE 57 X 37 CM - BISTRO
TABLE 77 X 57 CM - BISTRO
TABLE 57 X 57 - BISTRO



10 kg

0240 - TABLE 117 X 77 CM











Steel sheet table top
Flat steel base
Parasol hole: pole max. Ø 40 mm
Compatible with:
TABLE 77 X 57 CM - BISTRO





0245 - TABLE Ø 60 CM











Steel sheet table top Flat steel base



6 kg

0233 - TABLE Ø 77 CM











Steel sheet table top Flat steel base Parasol hole : pole max. Ø 40 mm



10 kg

0235 - TABLE Ø 96 CM











Steel sheet table top
Flat steel base
Parasol hole : pole max. Ø 40 mm



12 kg

0237 - TABLE Ø 117 CM











Steel sheet table top Flat steel base Parasol hole : pole max. Ø 40 mm



16.5 kg

COCOTTE

4702 - STOOL H.45 CM DESIGN BY STUDIO FERMOB











Steel wire frame Steel sheet seat



2.6 kg

4720 - LOW TABLE, REMOVABLE TABLE TOP 55 X 44.5 CM DESIGN BY STUDIO FERMOB









Aluminium sheet table top Steel wire base



3 kg

4703 - OCCASIONAL TABLE Ø 34 CM

DESIGN BY STUDIO FERMOB









Steel sheet table top Steel wire base



2 kg

GUINGUETTE

1062 - SIDE WHEELED TABLE WITH SOLID DOUBLE TOP










Steel wire frame Steel sheet table top Integrated wheels



4.3 kg

1061 - SIDE TABLE WITH PERFORATED DOUBLE TOP









Steel wire frame Perforated steel sheet table top




4.4 kg



LUXEMBOURG KID

4106 - CHAIR









Tubular aluminium frame
Curved aluminium slat seat
Curved aluminium slat backrest
Suitable for children aged 3-6 years (complies with European standards)

Stacking capacity: x 3 (Height – stacked: 60 cm)



I.I kg

4109 - BENCH









Tubular aluminium frame
Curved aluminium slat seat
Curved aluminium slat backrest
Suitable for children aged 3-6 years (complies with European standards)

Stacking capacity: x 3 (Height – stacked: 60 cm)



2.8 kg

4170 - TABLE 57 X 57 CM











Steel sheet table top Tubular steel base Aluminium frame beneath table top Silencing pads



7 kg

4171 - TABLE 76 X 55.5 CM











Steel sheet table top Tubular steel base Aluminium frame beneath table top Silencing pads



NEVADO

3219 - LOG HOLDER DESIGN BY STUDIO FERMOB









Flat steel frame Removable steel sheet shelf Available colour : see limited colour chart



l kg



OULALA

9009 - SET OF 3 NESTING LOW TABLES

DESIGN BY STUDIO FERMOB









Steel sheet table top Steel wire base

Available colours: see limited colour chart

900907 Rosemary / Cactus / Clay Grey = Summer romance 900905 Black Cherry / Red ochre / Chili = Solar power 900906 Acapulco Blue / Ice mint / Storm Grey = New horizons







10.8 kg

3.5 kg



 $\label{eq:continuous} \mbox{Up to 1.2m long !} \\ \mbox{Ideal as a coffee table for entertaining.}$



Original composition, to accompany a lounge set.

PIAPOLO

3206 - STOOL

DESIGN BY TRISTAN LOHNER












Aluminium sheet frame
Aluminium sheet seat
Upper bowl can be used as a storage compartment
Concealed drain hole at the bottom of the upper bowl
Soundproofed pads and lid
Available colours: see limited colour chart



4.4 kg




PICOLINO

3249 - PLANT HOLDER H.63 CM

DESIGN BY STUDIO FERMOB











Steel wire frame Steel sheet shelf



9.7 kg

328 I - WALL SHELF DESIGN BY STUDIO FERMOB












Steel wire frame Steel sheet shelf 2 hooks at either end to hang a variety of objects Wall mounting (screws not supplied)



4.1 kg





SALSA

3270 - PEDESTAL TABLE

DESIGN BY GOULA & FIGUERA









Steel sheet table top Tubular steel base Perforated sheet steel basket Silencing pads



8 kg



DESIGN BY GOULA & FIGUERA










Steel sheet table top Tubular steel base Perforated sheet steel basket Silencing pads



22.5 kg



PARASOLS & ACCESSORIES' COLLECTIONS

Fermob has harnessed all of its outdoor expertise and audacious attitude to bring you a comprehensive **product range for outdoor spaces**. Over five years ago, the brand launched a series of **collections of decorative accessories and outdoor fabrics** – trays, trivets, decorative cushions, round cushions for chairs, fouta towels, garden ponchos, and more – that complement its core product range and are **specially designed for outdoor living**. Now, the brand is going even further as it looks to cement its unique brand positioning. Drawing on the **know-how of Vlaemynck**, a French supplier of parasols and outdoor furniture to the hotel and restaurant industry, Fermob has added a **brand-new type of product** to its range: **parasols**.

WHAT MAKES A GOOD OUTDOOR FABRIC?

- A fabric that has **technical qualities enabling it to withstand sustained outdoor use without deteriorating** (colour-fastness to UV rays, water-repellent, resistant to stains and mould, etc.)
- A fabric that's easy to keep clean (removable cover, machine-washable, etc.).



Colour-fast in the sun



Water-repellent treatment



Breathable: quick-drying



Anti-stain treatment



Tearproof and resistant to abrasion



Removable covers



Machine washable

Abrasion: Wear caused by rubbing.

Anti-UV: Anti-UV treated products are resistant to alteration caused by ultraviolet rays (present in sunlight and moonlight), meaning colours do not fade over time. All Fermob products are UV-resistant.

Water-repellent: A water-repellent fabric does not instantly absorb water droplets. Instead, water slides off the surface. This increases the resistance to stains and mould. However, if the water is not removed quickly, it will end up being absorbed into the fibre (water-repellent is not the same as waterproof).

Rotproof: Guarantees against the formation of mould over time. This is an important guarantee for outdoor products.

For its decorative accessories and parasol, Fermob has chosen to work with **manufacturers who have genuine outdoor know-how** (like Serge Ferrari, Margueroy and Tuva Textile) to ensure that its customers can enjoy a high-quality product, whatever they use it for. Like all Fermob products, they incorporate the fundamentals of the brand: **creativity, design, colour**, and combine an attractive appearance with **originality and technicality**.

QUALITY GUARANTEED

Fermob's accessories are built to the same high standards as the brand's other products:

- Metal accessories (trays, trivets, etc.) are manufactured in the same factories as Fermob furniture, meaning they are designed with the exact same materials (metal, paint, etc.).
- Textile accessories (cushions, etc.) and parasol are designed in conjunction with experts (stylists, designers, manufacturers, etc.), all selected for adhering to the same exacting standards as Fermob. All our fabrics are sourced from partners in France or the European Union. Our Jacquard fabrics, printed fabrics and Batyline® Outdoor Technical Fabric (OTF) are all made in France.



All Fermob textile accessories are made with fabrics that meet relevant standards and undergo resistance tests.

- Colour-fastness (sunlight and inclement weather) standards: ISO 105-B04 & 105-B02
- Abrasion and friction resistance standard: ISO 12947-1 (Martindale's method)
- Tear resistance standard: ISO 13937

OUR CARE AND MAINTENANCE RECOMMENDATIONS



To preserve their original appearance, most of our materials require **basic precautions**. They can be damaged, to a varying extent, depending on the product type, by:

- mechanical factors: wear and tear, scratches, impact, distortion, etc.
- chemical factors: acids, bases, solvents, etc.

Cushions must be brought inside during bad weather.

MAINTENANCE OF OUTDOOR TECHNICAL FABRIC (OTF)




Use soapy water or Fermob multi-purpose cleaner.



Spray or apply with a **soft sponge**. Rub gently with a soft brush.



Rinse with water.





N.B. Very dirty surfaces may require a second cleaning.

MAINTENANCE OF ACRYLIC FABRIC (YARN-DYED / SOLUTION-DYED)



Gently brush the fabric if there are stains or other marks.



Machine-wash on a gentle cycle compatible materials, following the recommendations on the label.



Iron the fabric if necessary.

MAINTENANCE OF COTTON FABRIC



Machine-wash on a gentle cycle compatible materials, following the recommendations on the label.



Iron the fabric if necessary.

N.B. Prefer 800 RPM spinning.

MAINTENANCE OF METAL

See PROTECTION & MAINTENANCE chapter.

SYMBOLS

RECOMMENDED USAGE



COLOURS



METAL ACCESSORIES CHARACTERISTICS



FABRIC ACCESSORIES CHARACTERISTICS



Water repellent fabric









ACRYLIC

Synthetic fibre that is soft and silky to the touch, does not pill, and is ultra-light.

- extremely resistant to tearing and wear
- rotproof (i.e. prevents the formation of mould)
- keeps its shape
- does not retain heat or moisture

- resistant to temperature variations (-30 $^{\circ}$ to +70 $^{\circ}$ C)
- resistant to chemicals
- easy to clean: machine-washable at 30°C.

All our acrylic fabrics are water-repellent.

DRALON®

A woven textile made from synthetic fibre that offers excellent resistance to water, stains and UV rays. It is soft in texture, bright in appearance, rot-proof and easy to clean.

COATING

A treatment process in which a coating is applied to the surface of a textile to make it waterproof.

FOAMS

ETHYLENE-VINYL ACETATE (EVA) FOAM

A dense, compact, hard-wearing foam (no cells or air bubbles) that's lightweight and easy to mould.

HIGH-RESILIENCE PU FOAM

A polyurethane foam selected by Fermob for its ability to return to its original shape after deformation, even following an extended period of use.

OPEN-CELL FOAM

A foam that allows liquid to pass through. It does not retain water and dries very quickly, meaning that the cushion does not stay wet. POLYESTER FOAM

A PU-type foam with open cells and variable density. This versatile foam is typically used to make padding and occasional seats.

POLYETHYLENE FOAM (closed-cell)

A foam used for thermal insulation and for air-, water- and dust-proofing.

POLYURETHANE (PU) FOAM

A high-quality foam known for its firmness and comfort. It consists of fine closed cells enclosing a low thermal conductivity gas. It makes an excellent thermal insulator.

RETICULATED FOAM

A foam with very fine, regular closed cells. This is a rot-proof and waterproof foam.

YARN-DYED ACRYLIC

A yarn-dyed synthetic fibre is dyed on the yarn after it has been manufactured.

SOLUTION-DYED

Fermob uses solution-dyed textiles (the dye is applied to the fibre, not the surface). This dyeing technique means that the colour lasts five times longer than a conventional dye.

JACQUARD FABRIC

On a Jacquard fabric, the patterns are made by criss-crossing threads. The Jacquard loom, developed in 1801 by Joseph Marie Jacquard from Lyon, is capable of creating weaves with complex patterns.

LOUNGE OTF

Outdoor Technical Fabric (OTF) is a Batyline® fabric manufactured in France by the world's leading firm, Serge Ferrari. This high-tenacity I 00% polyester thread is protected with a solution-dyed PVC cover for exceptional colour-fastness. OTF keeps its shape, is light, flexible and sturdy, and does not deteriorate over time. It is resistant to both moisture and micro-organisms, and is treated with an anti-fungal product. The tight weave, coupled with the performance characteristics of Batyline®, give this material a textile-like feel and make it ideally suited for outdoor use. Lounge OTF is a unique material which combines the elegance of a natural-looking textile with the performance characteristics of a technical fabric.

SHADOO

8010 - PARASOL Ø 250 CM

DESIGN STUDIO FERMOB











Solution-dyed acrylic outdoor fabric 260 Xg/m²

Parasol with a finished hem

White aluminium tubular mast Ø 40 mm - Thickness : 2mm

Collapsible pole (2 clip-together sections)

8 ribs fiber glass Ø 8 mm

Opening: Clip-on slide opening

Bag for storage Compatible base:

CONCRETE BASE - BASICS

Compatible with:


TABLE Ø 117 CM - OPÉRA+

TABLE 143 X 80 CM - LUXEMBOURG

FOUR-LEG TABLE 80 x 80 CM - LUXEMBOURG

8010A5 Clay Grey
8010A7 Ice Mint

8010A6 Frosted Lemon 801082 Cactus



4.65 kg

BASICS

8090 - CONCRETE BASE








Concrete base White sheath Compatible with mast from Ø25 to 55 mm Compatible with : PARASOL Ø 250 CM - SHADOO

809000 White



30 kg





ACCROCHE CŒURS

9690 - COAT STAND DESIGN BY PASCAL MOURGUE









Tubular aluminium frame Cast iron base (13 kg) - Liquorice 8 steel wire hooks

Acapulco BlueCactusClay GreyRed OchreBlack Cherry

Capucine

9690C6 969047 9690A6 969083 9690D2 Honey
Anthracite
Frosted Lemon
Opaline Green
Gingerbread

174 NEW 174 17 kg






ACROBATE

9693 - PEG





Steel frame 2 steel wire hooks

96932 | Acapulco Blue 969382 | Cactus 9693A5 | Clay Grey 9693B9 | Black Cherry 969320 | Red Ochre 969345 | Capucine 

0.8 kg





ALTO

3170 - TRAY 53 X 38.5 CM







Steel sheet Steel wire handles

317021 Acapulco Blue 317082 Cactus 3 I 70A5 Clay Grey 3170B9 Black Cherry 317020 Red Ochre 317045 Capucine

3170C6 Honey 317047 Anthracite 3170A6 Frosted Lemon 317083 Opaline Green 3170D2 Gingerbread

NEW

2 kg

3171 - TRAY 36 X 23.5 CM

DESIGN BY STUDIO FERMOB







Steel sheet

317121 Acapulco Blue 317182 Cactus 3171A5 Clay Grey 3171B9 Black Cherry 317120 Red Ochre 317145 **Capucine**

317147 Anthracite 3171A6 Frosted Lemon 317183 Opaline Green 3171D2 Gingerbread



0.6 kg

3172 - TRAY 23 X 17 CM

DESIGN BY STUDIO FERMOB










Steel sheet

317221 Acapulco Blue 317282 Cactus 3172A5 Clay Grey 3172B9 Black Cherry 317220 Red Ochre 317245 Capucine

3172C6 Honey 3 | 7247 Anthracite 3172A6 Frosted Lemon 317283 Opaline Green 3172D2 Gingerbread



0.32 kg



BASICS

2780 - OUTDOOR CUSHION Ø 39 CM





OTF Batyline® Lounge fabric - high-tenacity 100% polyester thread coated in solution-dyed PVC

Polyurethane open-cell foam, guaranteed rotproof

Tightly woven, textile look and feel

Magnets ties

Compatible with:

CHAİR - 1900, LOUVRE, MONTMARTRE & OPÉRA+ ARMCHAIR - AIRLOOP & OPÉRA+

LOW CONSOLE TABLE - BEBOP

278077 2780A8 Almond Green
Beige

278075

Midnight Grey



0.22 kg

2781 - OUTDOOR CUSHION Ø 43 CM





OTF Batyline® Lounge fabric - high-tenacity 100% polyester thread coated in solution-dyed PVC

Polyurethane open-cell foam, guaranteed rotproof

Tightly woven, textile look and feel

Magnets ties

Compatible with:

ARMCHAIR - 1900, LOUVRE & MONTMARTRE

278177 2781A8 Almond Green
Beige

278175

Midnight Grey



0.25 kg

2750 - OUTDOOR CUSHION 37 X 41 CM





OTF Batyline® Lounge fabric - high-tenacity 100% polyester thread coated in solution-dyed PVC

Polyurethane open-cell foam, guaranteed rotproof Tightly woven, textile look and feel


Compatible with:

CHAIR & ARMCHAIR - LUXEMBOURG STEEL
CHAIR, ARMCHAIR & BAR CHAIR - LUXEMBOURG

275077 2750A8 Almond Green
Beige

275075

Midnight Grey



0.27 kg

275 I - OUTDOOR CUSHION 96 X 47 CM





OTF Batyline $^{\rm B}$ Lounge fabric - high-tenacity 100% polyester thread coated in solution-dyed PVC

Polyurethane open-cell foam, guaranteed rotproof Tightly woven, textile look and feel

Elastic ties: fastening system for easy folding

Compatible with:

LOW ARMCHAIR, LOUNGE ARMCHAIR & LOUNGE CHAIR -

LUXEMBOURG LOW ARMCHAIR - LUXEMBOURG STEEL

275177 2751A8 Almond Green
Beige

275175 275101

Midnight GreyCotton White

96

0.79 kg

BASICS

2777 - OUTDOOR CUSHION 171 X 44 CM





OTF Batyline® Lounge fabric - high-tenacity 100% polyester thread coated in solution-dyed PVC

277775

Midnight Grey

Polyurethane open-cell foam, guaranteed rotproof

Tightly woven, textile look and feel Elastic ties: fastening system for easy folding

Compatible with:

CHAISE LONGUE - BISTRO

277777 Almond Green 2777A8 Beige



1.39 kg

2778 - SKIN OUTDOOR CUSHION 45 X 40 CM





Solution-dyed acrylic Sunbrella® fabric

EVA foam


Thermo-compressed cushion

Velcro ties

Compatible with:

CHAIR & ARMCHAIR - LUXEMBOURG STEEL CHAIR, ARMCHAIR & BAR CHAIR - LUXEMBOURG


277854 Grey



0.28 kg

2776 - BISTRO OUTDOOR CUSHION 38 X 28 CM






OTF Batyline® Duo or Stereo fabric - high-tenacity 100% polyester thread coated in solution-dyed PVC

Polyethylene foam

Elastic ties

Compatible with:

METAL CHAIR, VALET CHAIR & FOLDABLE BAR CHAIR - BISTRO



0.17 kg

277643 Chili 277682 Cactus 277647ST Stereo Anthracite 2776A5ST Stéréo Gris argile


277620ST Stereo Red ochre 277648ST Stereo Rosemary 277626ST Stereo Storm Grey 27762 IST Stereo Acapulco Blue NEW



2600 - PLACEMAT 45 X 35 CM



BOUQUET SAUVAGE



BOUQUET SAUVAGE

Steel

Non slip pads

300882 Cactus NEW 300820 Red Ochre

3008 - CACTUS TRIVET 25.5 X 24 CM



0.46 kg

3018 - MONSTERA TRIVET 24 X 22 CM








Steel Non slip pads

301821 Acapulco Blue

301848 Rosemary NEW 301883 Opaline Green 3018B9 Black Cherry

3008A7 💮 Ice Mint



0.46 kg



COLOR MIX

2722 - OUTDOOR CUSHION Ø 40 CM







Dralon® solution-dyed acrylic

Polyurethane foam


Density 30 kg/m³

Coloured PVC strap fastened with a snap button (do not iron)

Compatible with:

CHAIR - 1900, LOUVRE, MONTMARTRE & OPÉRA+ ARMCHAIR - AIRLOOP, MONTMARTRE & OPÉRA+

2722A4	Burgundy	
272297	Twine	
272286A5	Safari Green	
272296	Night Blue	



0.17 kg

2720 - BISTRO OUTDOOR CUSHION 38 X 30 CM





Dralon® solution-dyed acrylic

Polyurethane foam


Density 30 kg/m³

Coloured PVC strap fastened with a snap button (do not iron)

Compatible with:

METAL CHAIR, VALET CHAIR & FOLDABLE BAR CHAIR - BISTRO

2720A4 Burgundy 272097 Twine 272086A5 Safari Green 272096 Night Blue 2720B1 Mint
2720C3 Apricot
2720C2 Eucalyptus Green



0.15 kg

2721 - OUTDOOR CUSHION 41 X 38 CM





Dralon® solution-dyed acrylic

Polyurethane foam


Density 30 kg/m³

Coloured PVC strap fastened with a snap button (do not iron) Compatible with :

CHAIR, ARMCHAIR STOOL, BAR STOOL & BAR CHAIR - LUXEMBOURG

CHAIR & ARMCHAIR - LUXEMBOURG STEEL
ARMCHAIR, XL ARMCHAIR & STOOL - MONCEAU

272 I A4 Burgundy
272 I 97 Twine
272 I 86A5 Safari Green
272 I 96 Night Blue



0.2 kg

OLOR MIX

2728 - BENCH OUTDOOR CUSHION 106 X 35 CM













106





Dralon® solution-dyed acrylic

Polyurethane foam

Density 30 kg/m³

Coloured PVC strap fastened with a snap button (do not iron) Compatible with:

2/3-SEATER BENCH WITH BACKREST & GARDEN BENCH-**LUXEMBOURG**

2/3-SEATER BENCH - MONCEAU

2728A4 272897 272886

272896

Burgundy Twine Safari Green Night Blue

Mint 2728BI 2728C3 Apricot 2728C2 Eucalyptus Green 0,54 kg









Dralon® solution-dyed acrylic

Polyurethane foam

Density 30 kg/m³

Coloured PVC strap fastened with a snap button (do not iron)

Compatible with:

LOW ARMCHAIR & ROCKING CHAIR - MONCEAU LOW ARMCHAIR, LOUNGE ARMCHAIR & LOUNGE CHAIR

2727B1

2727C3

2727C2

- LUXEMBOURG

2727A4 272797 272786A5

272796

Burgundy Night Blue

Twine Safari Green Mint Apricot Eucalyptus Green 45

0.64 kg

3141 - HEADREST 44 X 15 X 5.5 CM







Dralon® solution-dyed acrylic

Polyurethane foam

Density 30 kg/m³

Coloured PVC strap fastened with a snap button (do not iron)

Compatible with:

SUNLOUNGER & XS SUNLOUNGER - ALIZÉ

SUNLOUNGER - DUNE

CHAISE LONGUE - BISTRO

3141A4 3141BI

314197 Twine 314186A5 Safari Green 314196 Night Blue

Burgundy

Mint 3141C3 Apricot 3141C2 Eucalyptus Green

0.230 kg







COLOR MIX

2724 - OUTDOOR CUSHION 44 X 30 CM









Dralon® solution-dyed acrylic Polyester foam

Coloured PVC strap fastened with a snap button (do not iron)

2724A4 272497 272486 272496

Burgundy Twine Safari Green Night Blue

2724B1 Mint 2724C3 Apricot 2724C2 Eucalyptus Green



0.4 kg

2729 - OUTDOOR CUSHION Ø 50 CM










Dralon® solution-dyed acrylic Polyester foam Coloured PVC strap fastened with a snap button (do not iron)

Burgundy Twine Safari Green Night Blue

2729B1 2729C3 Apricot 2729C2 Eucalyptus Green



0,55 kg



COLOR MIX

3102 - FOUTA TOWEL 200 X 100 CM





Cotton fabric

Back: plain terry cotton

Fringe finish

Coloured PVC strap fastened with a snap button (do not iron)

3102A2 310273 310295

3102B2

Honey Powder Pink Pebble Grey

Chlorophyll Green 310284 Jade Green 3102C4 Coral 3102C5 Olive Green 200

0.69 kg

3090 - GARDEN PONCHO 141.5 X 148.5 CM







Cotton fabric Coloured PVC strap (do not iron)

3090B4 Sorbet Yellow 3090B3

Amazon Green

141,5 148,5

0.92 kg





CUUB

3080 - SET OF 3 TEALIGHT HOLDERS H.8 CM

DESIGN BY TRISTAN LOHNER








Aluminium base Polycarbonate diffuser Polyethlyene base Suitable for tea light candles or LED



308000 Willow Green / Cactus / Rosemary 308001 Chili / Capucine / Pink Praline 308003 Anthracite / Deep Blue / Acapulco Blue AS0121 Black Cherry



0.42 kg



ÉVASION

2692 - OUTDOOR CUSHION 44 X 30 CM





Dralon® solution-dyed acrylic Jacquard fabric
Teflon® treated: resistant to st

Teflon® treated : resistant to stains and mould

Polyester foam

2692A1 Atacama 2692A9 Panama

2692B5 Etna



0.38 kg

2693 - OUTDOOR CUSHION 44 X 44 CM






Dralon® solution-dyed acrylic Jacquard fabric

Teflon® treated : resistant to stains and mould

Polyester foam

2693B5 Etna



0.53 kg

2694 - OUTDOOR CUSHION 35 X 70 CM





Dralon® solution-dyed acrylic lacquard fabric

Teflon® treated : resistant to stains and mould

Polyester foam

2694A1 Atacama Atacama Panama

2694B5 Etna



0.65 kg

2695 - OUTDOOR CUSHION 68 X 44 CM





Dralon® solution-dyed acrylic Jacquard fabric

Teflon $^{\text{\tiny (B)}}$ treated : resistant to stains and mould

Polyester foam

2695AI Atacama 2695A9 Panama 2695B5 🜑 Etna



0.78 kg





3129 - SINGLE-STEM VASE DESIGN BY STUDIO FERMOB









ITAC

3120 - RECTANGULAR VASE H. 62 CM

DESIGN BY STUDIO FERMOB






Steel wire Tubular steel Leakproof, removable reservoir

312020 Red Ochre 312047 Anthracite 312021 Acapulco Blue 3120A5 Clay Grey 3120B9 Black Cherry

Capucine

312045


3120C6 // Honey 312082 Cactus 3120A6 Frosted Lemon 312083 Opaline Green 3120D2 Gingerbread NEW



1.9 kg

3121 - CYLINDRICAL VASE H. 76 CM

DESIGN BY STUDIO FERMOB



DOMESTIC PROFESSIONAL INTENSIVE



Steel wire Tubular steel Leakproof, removable reservoir

312120 Red Ochre 312147 Anthracite 312121 Acapulco Blue 3121A5 Clay Grey 3121B9 Black Cherry 312145 Capucine

3121C6 / Honey 312182 Cactus 3121A6 Erosted Lemon 312183 Opaline Green 3121D2 Gingerbread NEW




2.05 kg





LORETTE



PICOTI

3089 - BIRD FEEDER

DESIGN BY CATHERINE SOFIA










Steel sheet frame
Removable stainless steel bowl
100% polyester outdoor cord
Double fastening system: suspen

Double fastening system: suspension or screws (not provided)

3089B9 Black Cherry 308920 Red Ochre 308945 Capucine 3089C6 Honey 308982 Cactus 308921 Acapulco Blue

308947 Anthracite
3089A5 Clay Grey
3089A6 Frosted Lemon
308983 Opaline Green
3089D2 Gingerbread NEW




0.8 kg





TRÈFLE



THE LIGHTING COLLECTIONS

IN JUST A FEW YEARS, FERMOB HAS BECOME A LEADING NAME IN DECORATIVE AND AUTONOMOUS LIGHTING FOR BOTH INDOOR & OUTDOOR SPACES.

It all began in 2015, when Fermob released the market's very first portable BALAD lamp. Thanks to this product, Fermob became a pioneer with a new concept.



INNOVATION FIRST...

CREATION

Apart from quality, design is a major commitment for Fermob. With an approach inspired by changing lifestyles and history, the products also combine Fermob's commitments to simplicity, a feeling for detail and, of course, aesthetics. As well as forming part of our overall design vision, the collections are also in step with our observations of new uses. Fermob offers a variety of products (table lamps, pendant lights, wall lights, etc.) for a range of lighting scenarios (with different light temperatures, intensities, etc.).

DESIGN

Our development protocol takes everything into account: ergonomics, weight, ease of handling and sturdiness. The result is a product that is built to last & brings genuine delight. Fermob approaches new product developments with a manufacturer's eye, putting together its own know-how and connecting with the best partners for growth.

To support its growth in the lighting market, Fermob set up a **dedicated working group to combine different areas of expertise**. The brand also partnered up with **Smart & Green**, a start-up in Grenoble **specialising in development of portable and smart LED lights** (using Bluetooth 4.0 Smartmesh® technology).



PRODUCTION

Production is entrusted to the **IPW industrial group** created by a joint French and Chinese team, and working closely with Fermob teams. **Specialising in plastic injection and electronics**, IPW develops LED lighting control software and systems.



Innovative products that are affordable and accessible in terms of price point and ease of use, with strong environmental credentials (eco-designed, able to be taken apart, and energy efficient, due to use of LEDs)







FERMOB: A UNIQUE LIGHTING IDENTITY

Fermob lighting builds on the fundamentals of the brand: ease of use, versatility, continuous innovation, a design approach. Fermob, in tune with contemporary living, offers a variety of products for a range of lighting scenarios (with different light temperatures, intensities, etc.) & different accessories for a unique user experience, just right for every different moment of life.

Whether wired or wireless, all Fermob lighting products have something in common - their simplicity and versatility in use. Designed for your table or floor, or to be portable or wall-mounted Fermob lights offer complementarity in use: creating ambience at the table, lighting a bar space, highlighting a poolside area, marking out a path, etc.

































A perfect combo for unique user experiences, just right for every different moment of life.

MAKE A LASTING IMPRESSION,

BUT NOT ON THE ENVIRONMENT!

As part of a **continuous improvement** approach, combined with genuine **"lighting quality" expertise**, the brand designs lighting that combines **eco-design with environmentally-friendly materials and processes** to use exactly the right amount of energy. We also pay careful attention to the **life span of our products** and are improving this factor for all of our products.



ECO-DESIGN & DURABILITY

Fermob quality expertise is integrated into our projects from the initial conceptual phase through to design and production. Following marketing, our continuous improvement process allows us to extend the life span of our products.

CONTINUOUS IMPROVEMENT TO REDUCE OUR ENVIRONMENTAL IMPACT

Controlling our industrial processes to reduce their impact on the environment is a major concern for Fermob, as it has been demonstrated regularly in the form of **practical actions**:

- Lowering the temperature used for our heating processes (-10°C in 25 years),
- Investment in a **new painting line**, which will be able to save 8 tonnes of powder per year,
- **Reduction in our water consumption** (-43% in 7 years),
- **Reduction in our electricity consumption** with integration of **LED lighting** into our factory (-5% in 5 years).



All our lighting is certified in a 2-stage procedure:

- The product design work includes performance of several tests in accordance with IEC 60598, testing component strength and uses (e.g. NF EN 60529, etc.)
- When Fermob receives the pre-production item, it performs tests on the complete product with SGS.



IEC 60598: The international standard, for all lighting that incorporates electric light sources, which specifies general requirements for operation at power supply voltages up to 1000 V. The requirements and the corresponding tests for this standard are concerned with classification, marking and mechanical and electrical construction.

SGS: World leader in inspection, testing, analysis and certification.

SELECTION OF ECO-RESPONSIBLE MATERIALS AND COMPONENTS



LED

Recyclable and far more environmentally-friendly than all other types of lighting. They offer a long life span, with 85% lower energy consumption and no toxic mercury content.



DURABLE AND RECYCLABLE HIGH-PERFORMANCE ELECTRONIC AND ELECTRICAL COMPONENTS

E.g. battery and LED PCB module (PCB: Printed Circuit Board)



ENVIRONMENTALLY-FRIENDLY PAINTS

Better for the environment and for our health. The powder coatings used by Fermob are solvent-free. They are used in a zero waste system and are guaranteed for outdoor use.



METAL

An eco-responsible material. Iron and aluminium are 98% recyclable materials, and have the benefit of a mature value chain at international level.



POLYETHYLENE OR POLYCARBONATE DIFFUSER

Very strong materials, with the benefit of being recyclable even after being recycled.



GLASS DIFFUSER


A material that has the benefit of being **85% recyclable**.

DISASSEMBLING LIGHTING TO IMPROVE LIFE SPAN

Fermob **considers the design** of its lighting products to **make them easier to disassemble** and **to extend their life span**. Several components can be replaced (see detailed list on p.44 and in Price list).

Each package is marked with **repairability symbols** indicating the **type of disassembly** (requiring a professional or able to be completed by user) and specifying the **type of repairability** (light source and/or control unit).


Detailed key to repairability symbols:



Light source can be replaced by a professional



Light source can be replaced by user



Light source (LED only) can be replaced by a professional



Light source (LED only) can be replaced by user



Control device can be replaced by a professional



Control device can be replaced by user



Light source cannot be replaced



Control device cannot be replaced



Since 1st September 2021, in accordance with the requirements of the AGEC law:

- the new labelling of all household appliances, light sources and lighting products (Light output ≥ 60 lm)
- the new method for analysing energy consumption.



WHERE CAN I DISPOSE OF A USED LIGHT?

When disposing of a **used lighting product**, it is mandatory to **disassemble your light and place it at an authorised collection site**. The instructions and packaging give the user information, by means of regulated markings, to ensure that the materials can be recycled or recovered at the end of their life.



Manufacturers and users have **obligations in terms of management of Waste Electrical and Electronic Equipment (WEEE)**. This symbol indicates that the lighting products must not be put in bins intended for household waste.



AT WASTE CENTRES

These sites, generally managed by local authorities, take your used products and transfer them to the appropriate processing systems.



AT SHOPS

Stores that sell these lighting products are obliged to take back the used products, whether they are small independent traders or large specialist shops.



AT THE MANUFACTURER'S PREMISES

Manufacturers take back the used products and transfer them to the appropriate processing systems.



Fermob is **affiliated with ECOSYSTEM** for **processing of waste electrical and electronic equipment** and with **Screlec** for **recycling of batteries**, the latter since the start of the Lighting product collections.





GLOSSARY

ABS

Acrylonitrile Butadiene Styrene (ABS) is a relatively rigid, lightweight, impact-resistant and mouldable thermoplastic polymer (a type of styrenic polymer, to be exact).

BYPASS

A bypass is a circuit that avoids a device or system.

BATTERY USE CYCLES

The battery's capacity gradually decreases with the use of the light. This is a natural phenomenon. A use cycle includes a complete discharge and recharge of the battery (if the battery is discharged to 50% and then recharged to 100%, this is equivalent to 1/2 cycles). On average, Fermob lights vary between 300 and 500 cycles of use per battery.

LUMINOUS FLUX - LUMEN (Lm)

In photometry, luminous flux is a measure of the power of a light source as perceived by the human eye. It's the most commonly used indicator of the total amount of light emitted by a light source in all directions.

IK INDEX

Defines the strength of a device against knocks and impacts, but not against falls. The test is carried out with a steel vertical or pendulum hammer. The rating ranges from 0 to 10 (according to standard NF 62262).

IP INDEX


Defines the degree of protection provided by the equipment against the penetration of solid matter (first figure) and liquid matter (second figure). The rating ranges from 00 to 68 (according to standard NF EN 60529).

POLYETHYLENE

Polyethylene is one of the most common thermoplastic resins in use today. It is known for its excellent impact resistance.

COLOUR TEMPERATURE - KELVIN (°K)

Measures the colour temperature of the light. It indicates whether white light is warm (yellow hue) or cool (blue hue). It varies depending on the source. The higher thie figure, the more bluish-white the colour temperature, while light with a lower colour temperature tends towards the red end of the scale.





ALTER THE COLOUR TEMPERATURE TO CREATE THE RIGHT LIGHTING MOOD.

This feature lets you adjust the colour temperature to the task at hand. Warm white $(2,700 \text{ to } 3,300^{\circ}\text{K})$ creates a comfortable mood that's perfect for relaxing. Neutral white $(4,200 \text{ to } 4,500^{\circ}\text{K})$ is more soothing and energising. Cool white $(5,500 \text{ to } 6,500^{\circ}\text{K})$ is closest to natural daylight, with a slightly blue hue that boosts focus and concentration.

PRODUCTS



APLÔ

3410 - LAMP H.24 CM DESIGN BY TRISTAN LOHNER









Polyethylene diffuser Aluminum frame

ABS base

Technology: integrated LED - Luminous flux: 70 lm

Switch type: push button

Function of the switch: change the light temperature (long click, 3 s),

change the brightness (short click, 1 s)

Lighting mood:

Position I cool white (6000°K) 100% brightness Position 2 cool white (6000°K) 50% brightness Position 3 warm white (3000°K) 100% brightness

Position 4 warm white (3000°K) 50% brightness

Type of power supply: battery - Min. Battery life (100%) 7 h

Battery use cycle: 300 cycles

Recharge time: 3h - Type of recharge: USB, cable (supplied) Im

Bypass to prevent battery damage during wired use

0.5 A - 5 V - 0.5 W - IP54 (ingress protection) | IK 10 (impact resistance) | CE | FCC | UKCA

Energy rating: F


Powered by Smart & Green

Compatible with:


WALL LIGHT BRACKET - APLÔ SUSPENSION STRAP - APLÔ MAGNETIC BASE - APLÔ UPRIGHT STAND - APLÔ











APLÔ IS A **SMART AND MOBILE**LIGHTING SOLUTION THAT MEETS ALL THE NEEDS OF EVERYDAY LIFE!





3480 - UPRIGHT STAND







34,2

3.5 kg





Aluminium frame
ABS base
Compatible product fastening type: screwed to the lamp
base thanks to a quarter-turn system
Compatible with:

LAMP H24 - APLÔ

3480C6 Honey 3480B9 Black Cherry 3480A5 Clay Grey



3450 - MAGNETIC BASE

DESIGN BY TRISTAN LOHNER



138







Aluminium frame ABS base

<u>Compatible product fastening type:</u> screwed to the lamp base thanks to a quarter-turn system

Compatible with:

LAMP H24 - APLÔ

345014 Nutmeg 345020 Red Ochre 345021 Acapulco Blue 345047 Anthracite 345073 Honey
345082 Cactus
345089 Black Cherry

3450A5 Clay Grey

0.072 kg

3460 - WALL LIGHT BRACKET

DESIGN BY TRISTAN LOHNER









Aluminium frame

Compatible product fastening type: screwed to the lamp base thanks to a quarter-turn system

Type of fastening, adhesive (double sided, included) or

Type of fastening: adhesive (double-sided, included) or screw-in (screws not included) wall bracket

Compatible with:

LAMP H24 - APLÔ

40

 346014
 Nutmeg
 346073
 Honey

 346020
 Red Ochre
 346082
 Cactus

 346021
 Acapulco Blue
 346089
 Black Cherry

 346047
 Anthracite
 3460A5
 Clay Grey

10

0.13 kg

3470 - SUSPENSION STRAP DESIGN BY TRISTAN LOHNER











Aluminium frame

<u>Compatible product fastening type:</u> screwed to the lamp base thanks to a quarter-turn system

Polyester strap (grey), with ABS adjustment loop Compatible with:

LAMP H24 - APLÔ

347020 Red Ochre
347014 Nutmeg
347021 Acapulco Blue
347047 Anthracite

347073 Honey
347082 Cactus
347089 Black Cherry
3470A5 Clay Grey





3602 - SET OF 3 LAMPS H.12 CM

DESIGN BY TRISTAN LOHNER





0.15 kg



balad

Polyethylene diffuser

Aluminium frame

ABS base

Technology: integrated LED - Luminous flux: 20 lm

Switch type: push button

<u>Function of the switch:</u> change the light temperature & brightness

(short click, 1 s), OFF (long click, 3 s)

Lighting mood:

Position I cool white (6000°K) 100% brightness

Position 2 neutral white (4000°K) 100% brightness

Position 3 candle-style warm white (2300°K) flickering

Type of power supply: battery - Min. Battery life (100%) 10 h

Battery use cycle: 500 cycles

Recharge time: 4h - Type of recharge: USB, cable (supplied) 1,5m

Bypass to prevent battery damage during wired use

0.25 A - 5 V - 0.3 W | IP44 (ingress protection) | IK 10 (impact resistance) | CE | FCC | UKCA

Powered by Smart & Green

 360221 Acapulco Blue 360220 Red Ochre 3602B9 Black Cherry 3602A5 Clay Grey



DESIGN BY TRISTAN LOHNER



Ø19

0.53 kg







balad substituted fermob Polyethylene diffuser

Aluminium frame

ABS base

Technology: integrated LED - Luminous flux: 40 lm

Switch type: push button

Function of the switch: change the light temperature & brightness

(short click, 1 s), OFF (long click, 3 s)

Lighting mood:

Position I cool white (6000°K) 100% brightness

Position 2 neutral white (4000°K) 100% brightness

Position 3 neutral white (4000°K) 50% brightness

Position 4 candle-style warm white (2300°K) flickering

Type of power supply: battery - Min. Battery life (100%) 7 h

Battery use cycle: 300 cycles

Recharge time: 5h - Type of recharge: USB, cable (supplied) 2m

Bypass to prevent battery damage during wired use

0.5 A - 5 V - 0.5 W | IP44 (ingress protection) | IK 10 (impact resistance) | CE | FCC | UKCA

Powered by Smart & Green





3612A5 Clay Grey

3622 - LAMP H.38 CM DESIGN BY TRISTAN LOHNER



1.21 kg





Polyethylene diffuser Aluminium frame

ABS base

Technology: integrated LED - Luminous flux: 150 lm

Switch type: push button

 $\underline{\textbf{Function of the switch:}} \ \textbf{change the light temperature \& brightness}$

(short click, 1 s), OFF (long click, 3 s)

Lighting mood:

Position I cool white (6000°K) 100% brightness

Position 2 cool white (6000°K) 50% brightness

Position 3 neutral white (4000°K) 100% brightness

Position 4 neutral white (4000°K) 50% brightness

Position 5 candle-style warm white (2300°K) flickering

Type of power supply: battery - Min. Battery life (100%) 9 h

Battery use cycle: 300 cycles

Recharge time: 7h - Type of recharge: USB, cable (supplied) 2m

Bypass to prevent battery damage during wired use

2 A - 5 V - 2.5 W | IP44 (ingress protection) | IK 10 (impact resistance) | CE | FCC | UKCA


Energy rating: E

Powered by Smart & Green

362282 Cactus
362273 Honey
362247 Anthracite
362221 Acapulco Blue

362220 Red Ochre 3622B9 Black Cherry 3622A5 Clay Grey





BAI AF

365100 - SET OF 3 LAMPS BAMBOO H.12 CM

DESIGN BY TRISTAN LOHNER





0.13 kg





Polyethylene diffuser

Bamboo frame

ABS base

Technology: integrated LED - Luminous flux: 20 lm

Switch type: push button

<u>Function of the switch:</u> change the light temperature & brightness

(short click, 1 s), OFF (long click, 3 s)

Lighting mood:

Position I cool white (6000°K) 100% brightness

Position 2 neutral white (4000°K) 100% brightness

Position 3 candle-style warm white (2300°K) flickering

Type of power supply: battery - Min. Battery life (100%) 10 h

Battery use cycle: 500 cycles

Recharge time: 4h - Type of recharge: USB, cable (supplied) 1,5m

Bypass to prevent battery damage during wired use

0.25 A - 5 V - 0.3 W - IP44 (ingress protection) | IK 10 (impact resistance) | CE | FCC | UKCA

Powered by Smart & Green



365200 - LAMP BAMBOO H.25 CM

DESIGN BY TRISTAN LOHNER









Polyethylene diffuser

Bamboo frame

ABS base

Technology: integrated LED - Luminous flux: 40 lm

Switch type: push button

Function of the switch: change the light temperature & brightness

(short click, 1 s), OFF (long click, 3 s)

Lighting mood:

Position I cool white (6000°K) 100% brightness

Position 2 neutral white (4000°K) 100% brightness

Position 3 neutral white (4000°K) 50% brightness

Position 4 candle-style warm white (2300°K) flickering

Type of power supply: battery - Min. Battery life (100%) 7 h

Battery use cycle: 300 cycles

Recharge time: 5h - Type of recharge: USB, cable (supplied) 2m

Bypass to prevent battery damage during wired use

0.5 A - 5 V - 0.5 W - IP44 (ingress protection) \mid IK 10 (impact resistance) \mid CE \mid FCC \mid UKCA

Powered by Smart & Green











0.47 kg



365300 - LAMP BAMBOO H.38 CM

DESIGN BY TRISTAN LOHNER





1.08 kg







Polyethylene diffuser Bamboo frame

ABS base

Technology: integrated LED - Luminous flux: 150 lm

Switch type: push button

<u>Function of the switch:</u> change the light temperature & brightness (short click, 1 s), OFF (long click, 3 s)

Lighting mood:

Position I cool white (6000°K) 100% brightness

Position 2 cool white (6000°K) 50% brightness

Position 3 neutral white (4000°K) 100% brightness

Position 4 neutral white (4000°K) 50% brightness

Position 5 candle-style warm white (2300°K) flickering

Type of power supply: battery - Min. Battery life (100%) 9 h

Battery use cycle: 300 cycles

Recharge time: 7h - Type of recharge: USB, cable (supplied) 2m

Bypass to prevent battery damage during wired use

2 A - 5 V - 2.5 W - IP44 (ingress protection) | IK 10 (impact resistance) | CE | FCC | UKCA

Energy rating: E

Powered by Smart & Green








Bluetooth

FERMOB, A RANGE OF LIGHTING

INNOVATIVE AND CONNECTIBLE



Distance between lights < 10mNo obstructions (e.g. wall)


Over the last few years, Fermob has become the leading brand in the world of autonomous connectible lighting.

To work with a variety of lifestyles, the Fermob catalogue offers a decorative and intelligent solution using Bluetooth technology.


LUDO,

the Fermob smart switch

A combination of technology to control the lighting atmosphere provided by all Fermob smart lights.



WHAT ARE THE FEATURES OF THE FERMOB LIGHTING APP?



The Fermob Lighting app is compatible with all smartphones equipped with Bluetooth. The app is updated regularly, as products are launched. MAKE SURE YOU UPDATE IT!



Any questions?

Go to the Fermob Lighting FAQs on www.fermob.com or directly from the app.

A LOOK AT FERMOB SMART LIGHTS



FERMOB SMART LIGHTS OFFER A UNIQUE CUSTOMISED EXPERIENCE, ACCESSIBLE TO EVERYONE.

HOOPIK

3501 - STRING LIGHTS L1200 CM - TYPE E & F

DESIGN BY J.MAZOYER-DO





Polycarbonate diffuser

ABS frame

Technology: integrated LED - Luminous flux: 960 lm

Switch type: touch-activated dimmer

Function of the switch: ON/OFF (short click, 1s), brightness variation

Lighting mood:

Position I warm white (3000°K) dimmer switch (10 to 100%)

Lighting mood via Bluetooth:

White light variable from 4000°K to 2700°K & dimmer switch

(10% to 100%)

Type of power supply: mains - Plug type: Plug type E & F 0.24 A - 230 V - 25 W - Lighting cable: 6.20 metres (8 rings) +

6-metres main cable

IP54 (ingress protection) | IK 6 (impact resistance) | CE

Energy rating: F

Powered by Smart & Green

Compatible with:

FERMOB LIGHTING APPLICATION - FERMOB LIGHTING

SMART SWITCH - LUDO

350121 Acapulco Blue 350 I B9 Black Cherry 350182 Cactus 350120 Red Ochre







3502 - STRING LIGHTS LI 200 CM - TYPE I

DESIGN BY J.MAZOYER-DO





Polycarbonate diffuser

ABS frame

Technology: integrated LED - Luminous flux: 960 lm

Switch type: touch-activated dimmer

Function of the switch: ON/OFF (short click, 1s), brightness variation

Lighting mood:

Position I warm white (3000°K) dimmer switch (10 to 100%)

Lighting mood via Bluetooth:

White light variable from 4000°K to 2700°K & dimmer switch (10% to 100%)

Type of power supply: mains - Plug type: Plug type I (Australia,

New-Zealand, China)

Lighting cable: 6.20 metres (8 rings) + 6-metres main cable

0.24 A - 230 V - 25 W - IP54 (ingress protection) | IK 6 (impact resistance) | CE

Energy rating: F

Powered by Smart & Green


Compatible with:


FERMOB LIGHTING APPLICATION - FERMOB LIGHTING

SMART SWITCH - LUDO

350221 Acapulco Blue 350220 Red Ochre

350282 Cactus





2.2 kg



HOOPIK

3503 - STRING LIGHTS LI 200 CM - TYPE J

DESIGN BY J.MAZOYER-DO



2.2 kg



ABS frame



Switch type: touch-activated dimmer

Function of the switch: ON/OFF (short click, 1s), brightness variation

Lighting mood:

Position I warm white (3000°K) dimmer switch (10 to 100%) Lighting mood via Bluetooth:

White light variable from 4000°K to 2700°K & dimmer switch (10% to 100%)

<u>Type of power supply:</u> mains - Plug type : Plug type J (Switzerland, Liechtenstein)

0.24 A - 230 V - 25 W - Lighting cable: 6.20 metres (8 rings)

+ 6-metres main cable

IP54 (ingress protection) | IK 6 (impact resistance) | CE

Energy rating: F

Powered by Smart & Green

Compatible with:


FERMOB LIGHTING APPLICATION - FERMOB LIGHTING

SMART SWITCH - LUDO

350321 Acapulco Blue 350320 Red Ochre 350382 Cactus
3503B9 Black Cherry







MUCH MORE THAN A GARLAND...

HOOPIK L1200 is a fully fledged **aerial lighting solution**.

It consists of a 12-metre matt black cable, including a 6-metre hanging cable, plus 8 LED spotlights that are adjustable through 360° and 2 hook mechanisms, one at each end.

The dimmer switch, which is easy to access once installed, means it's equally suited to both a muted lounge area and a large, brightly lit table.

What's more, it's equipped with Bluetooth technology and can be controlled remotely with the Fermob Lighting app or the Ludo connected outdoor switch.













HOOPIK

3510 - LAMP Ø24 CM DESIGN BY J.MAZOYER-DO











Polycarbonate diffuser

Aluminium frame

ABS Base

Technology: integrated LED - Luminous flux: 200 lm

Switch type: touch-activated dimmer

Function of the switch: change the brightness (10 to 100%, click 4 s),

change the light temperature (double short click),

ON/OFF (short click, 1s)

Lighting mood:

Position I warm white (2700°K) dimmer switch (10 to 100%) Position 2 neutral white (4000°K) dimmer switch (10 to 100%)

Type of power supply: battery - Min. Battery life (100%): 8 h

Battery use cycle: 300 cycle

Recharge time: 5h - Type of recharge: USB Fermob magnet

1.5 m cable (provided)

Bypass to prevent battery damage during wired use

2 A - 5 V - 10 W - IP42 (Ingress protection) | IK 10 (Impact resistance) | CE | FCC | UKCA

Energy rating: F

Powered by Smart & Green

351021 351020 Acapulco Blue Red Ochre

3510C7 351042

Grey lapilli Liquorice









0,8 kg





INOUÏ

3304 - LIGHTING STOOL H.44 CM

DESIGN BY STUDIO FERMOB





5 kg







Steel seat

Polyethylene diffuser

ABS base

Technology: integrated LED - Luminous flux: 250 lm

Switch type: push button

<u>Function of the switch:</u> change the light temperature (long click, 3 s), change the brightness (short click, 1 s), Reset Bluetooth pairing (click and hold for 10 s)

Lighting mood:

Position I cool white (6000°K) 50% brightness

Position 2 cool white (6000°K) 100% brightness

Position 3 warm white (3000°K) 50% brightness

Position 4 warm white (3000°K) 100% brightness

Lighting mood via Bluetooth:

White light variable from 6000°K to 3000°K & dimmer switch (10% to 100%)

Type of power supply: battery - Min. Battery life (100%) 9 h

Battery use cycle: 300 cycles

Recharge time: 4h - Type of recharge: ABS plastic charging base & transformer

110-230 Apv*-24 Dpv** IPX0, powered by mains electricity

<u>Plug type</u>: 4 plugs multi-type (J, K, G, F, L, E, B, I) Bypass to prevent battery damage during wired use

1.5 A - 24 V - 7 W - IP54 (ingress protection) | IK 8 (impact resistance) | CE

Energy rating: G

Powered by Smart & Green

Compatible with:

APPLICATION FERMOB LIGHTING - FERMOB LIGHTING

SMART SWITCH - LUDO

330421 Acapulco Blue
330447 Anthracite

330420 Red Ochre 3304B9 Black Cherry

330482 Cactus



*Alternating power volt / **Direct power volt

IUDO

3390 - SMART SWITCH DESIGN BY STUDIO FERMOB







Aluminum frame

Base ABS

Switch type: push button

<u>Function of the switch:</u> change the light temperature (clic 1s),

Reset Bluetooth pairing (click and hold for 10 s), change the brightness (10 to 100%, click 4 s), ON/OFF (short click, 1s)

(10 to 100%, click 4 s), ON/OFF (short lighting mood:

Position I cool white (6000°K) I 00% brightness Position 2 warm white (3000°K) I 00% brightness

Type of fastening: magnetic, adhesive (double-sided, included) or screw-in

(screws not included) thanks to a white wall mount

Type of power supply: pile - 0.5 A - 3 V

IP54 (ingress protection) | IK 10 (impact resistance) | CE

Powered by Smart & Green

Compatible with:

STRING LIGHTS LI 200 CM – TYPE E & F - HOOPIK

STRING LIGHTS L1200 CM - TYPE I - HOOPIK

STRING LIGHTS L1200 CM - TYPE J - HOOPIK

LIGHTING STOOL H.44 CM - INOUÏ

WALL LIGHT Ø 15 CM - MOOON!

LAMP H.63 CM - MOOON!

LAMP H.134 CM - MOOON!

TRIPLE PENDANT LIGHTS Ø 15 CM - MOOON!

PENDANT LIGHTS 25 CM - MOOON!


339082 339047

•

Cactus Anthracite

33902 I

Acapulco Blue






Watch

our video





5303 - LAMP H.41 CM

DESIGN BY TRISTAN LOHNER





Polyethylene diffuser Aluminium frame

ABS base

Technology: integrated LED - Luminous flux: 150 lm

Switch type: dimmer

Function of the switch: change the brightness (10 to 100%, click 4 s), change the light temperature (double short click), ON/OFF (short click, 1s)

Lighting mood:

Position 1 cool white (6000°K) dimmer switch (10 to 100%) Position 2 warm white (3000°K) dimmer switch (10 to 100%)

Type of power supply: battery - Min. Battery life (100%) 8 h

Battery use cycle: 300 cycles

Recharge time: 7h - Type of recharge: USB, cable (supplied) 2m

Bypass to prevent battery damage during wired use

2 A - 5 V - 2.5 W - IP44 (ingress protection) | IK 10 (impact resistance) | CE | FCC | UKCA

Energy rating: F

Powered by Smart & Green



530321 Acapulco Blue 530320 Red Ochre 5303A5 Clay Grey

5303B9 Black Cherry

<

5304 - LAMP H.41 MAX







0.7 kg







Glass diffuser

Aluminium frame

ABS base

Technology: integrated LED

<u>Luminous flux on battery</u>: 200 lm - <u>Luminous flux on mains</u>: 300 lm

Switch type: touch-activated dimmer

Function of the switch: change the brightness (10 to 100%, click 4 s), change the light temperature (double short click), ON/OFF (short click, Is)

<u>Lighting mood:</u>

Position 1 warm white (2700°K) dimmer switch (10 to 100%) Position 2 neutral white (4000°K) dimmer switch (10 to 100%)

Min. Battery life (100%) 7 h - Battery use cycle: 300 cycles

Recharge time: 7h - Type of recharge: USB Fermob magnet – 1.5 m cable (provided)

Bypass to prevent battery damage during wired use

2 A - 5 V - 3 W - IP44 (ingress protection) | IK 0 (impact resistance) | CE | FCC

Energy rating: F

Powered by Smart & Green



530421 Acapulco Blue 530447 Anthracite











Fermob magnet







- Charging system
- Practical & easy to use
- Identifiable (due to samara)



	LAMP H.41 MAX	LAMP H.41
Diffuser	Glass	Polyethylene
Lighting power	200 to 300 lm	150 lm
Colour temperatures	2700°K + 4000°K	3000°K + 6000°K
Switch	Touch - activated dimmer	Dimmer
Recharge	USB induction with its Fermob magnet	USB
Battery life	7h	8h





5320 - LAMP H.63 CM

DESIGN BY TRISTAN LOHNER





2.65 kg



Polyethylene diffuser Aluminium frame

ABS base

Technology: integrated LED - Luminous flux: 500 lm

Switch type: touch-activated

Function of the switch: change the light temperature (long click, 3 s), change the brightness (short click, I s), Reset Bluetooth pairing

(click and hold for 10 s)

Lighting mood:

Position I cool white (6000°K) 50% brightness

Position 2 cool white (6000°K) 100% brightness

Position 3 warm white (3000°K) 50% brightness

Position 4 warm white (3000°K) 100% brightness

Lighting mood via Bluetooth:

White light variable from 6000°K to 3000°K & dimmer switch (10% to 100%)

Type of power supply: battery - Min. Battery life (100%) 7 h

Battery use cycle: 300 cycles

Recharge time: 4h - Type of recharge: ABS plastic charging base & transformer

110-230 Apv*-24 Dpv** IPX0, powered by mains electricity

Plug type: 4 plugs multi-type (J, K, G, F, L, E, B, I) Bypass to prevent battery damage during wired use

1.5 A - 24 V - 7 W - IP44 (ingress protection) | IK 10 (impact resistance) | CE | FCC

Energy rating: F

Powered by Smart & Green

Compatible with:

FERMOB LIGHTING APPLICATION - FERMOB LIGHTING

SMART SWITCH - LUDO

532082 Cactus

5320B9 Black Cherry

532047 Anthracite

532021 Acapulco Blue 532020 Red Ochre







5310 - LAMP H.134 CM

DESIGN BY TRISTAN LOHNER



5.4 kg





Polyethylene diffuser

Aluminium frame

ABS base

Technology: integrated LED - Luminous flux: 500 lm

Switch type: touch-activated

Function of the switch: change the light temperature (long click, 3 s),

change the brightness (short click, I s), Reset Bluetooth pairing

(click and hold for 10 s)

Lighting mood:

Position I cool white (6000°K) 50% brightness

Position 2 cool white (6000°K) 100% brightness

Position 3 warm white (3000°K) 50% brightness

Position 4 warm white (3000°K) 100% brightness

<u>Lighting mood via Bluetooth:</u>

White light variable from 6000°K to 3000°K & dimmer switch (10% to 100%)

Type of power supply: battery - Min. Battery life (100%) 7 h

Battery use cycle: 300 cycles

Recharge time: 4h - Type of recharge: ABS plastic charging base & transformer

110-230 Apv*-24 Dpv** IPX0, powered by mains electricity

Plug type: 4 plugs multi-type (J, K, G, F, L, E, B, I)

Bypass to prevent battery damage during wired use

1.5 A - 24 V - 7 W - IP44 (ingress protection) | IK 10 (impact resistance) | CE | FCC | UKCA

Energy rating: F

Powered by Smart & Green

Compatible with:

FERMOB LIGHTING APPLICATION - FERMOB LIGHTING

SMART SWITCH - LUDO

53 | 02 | Acapulco Blue

53 | 1020 Red Ochre

53 I 047 Anthracite





*Alternating power volt / **Direct power volt

5330 - WALL LIGHT Ø15 CM

DESIGN BY TRISTAN LOHNER







Glass diffuser

Aluminium frame

Recycled ABS base

Technology: integrated LED - Luminous flux: 400 lm

Lighting mood:

Position I warm white (3000°K) 100% brightness

Lighting scenario via Bluetooth:

White light variable from 6000°K to 3000°K & dimmer switch (10% to 100%)

Type of fastening: Quick'n'click for fast installation with a single quarter

turn (integrated spirit level and detachable base)

 $\underline{\text{Type of power supply:}} \ \, \text{wall mount} \, \mid \, 0.24 \, \text{A} - 230 \, \text{V} - 8 \, \text{W}$

IP54 (ingress protection) | IK 0 (impact resistance) | CE | UKCA

Energy rating: F


Powered by Smart & Green

Compatible with:

FERMOB LIGHTING APPLICATION - FERMOB LIGHTING SMART SWITCH - LUDO

0.9 kg

Watch our video



533020 Red Ochre 5330B9 Black Cherry





quick'n clic

Easy installation



Watch





5340 - TRIPLE PENDANT LIGHTS Ø 15 CM

DESIGN BY TRISTAN LOHNER











Glass diffuser

Aluminium frame

Recycled ABS base

Technology: integrated LED - Luminous flux: 1050 lm

Function of the switch: change the light temperature (clic 1s),

change the brightness (10 to 100%, click 4 s), ON/OFF (short click, 1s)

Lighting mood:

Position 1 cool white (6000°K) dimmer switch (10 to 100%) Position 2 warm white (3000°K) dimmer switch (10 to 100%)

Lighting scenario via Bluetooth:

White light variable from 6000°K to 3000°K & dimmer switch (10% to 100%)

Type of fastening: Quick'n'click for fast installation with a single quarter

turn (detachable base)

Type of power supply: wired

Adjustable cable

0.19 A - 230 V - 17 W - IP42 (ingress protection) | IK 0 (impact resistance) | UKCA

Energy rating: E


Powered by Smart & Green

Compatible with:

FERMOB LIGHTING APPLICATION - FERMOB LIGHTING

SMART SWITCH - LUDO

5340B9 Black Cherry 534082 Cactus 534021 Acapulco Blue 534047 Anthracite



2.5 kg

Watch our video



5350 - PENDANT LIGHTS Ø25 CM

DESIGN BY TRISTAN LOHNER











Glass diffuser

Aluminium frame

Recycled ABS base

Technology: integrated LED - Luminous flux: 1000 lm

Function of the switch: change the light temperature (clic 1s),

change the brightness (10 to 100%, click 4 s), ON/OFF (short click, 1s)

Lighting mood:

Position I cool white (6000°K) dimmer switch (10 to 100%)

Position 2 warm white (3000°K) dimmer switch (10 to 100%)

Lighting scenario via Bluetooth:

White light variable from 6000°K to 3000°K & dimmer switch (10% to 100%)

Type of fastening: Quick'n'click for fast installation with a single quarter

turn (detachable base)

Type of power supply: wired

Adjustable cable

0.19 A - 230 V - 15 W - IP42 (ingress protection) | IK 0 (impact resistance) | UKCA

Energy rating: E


Powered by Smart & Green

Compatible with:

FERMOB LIGHTING APPLICATION - FERMOB LIGHTING

SMART SWITCH - LUDO

5350B9 Black Cherry 53502 | Acapulco Blue 535082 Cactus 535047 Anthracite



2 kg



3960 - LAMP H.27 CM DESIGN BY STUDIO FERMOB









Polycarbonate diffuser Aluminium frame Recycled ABS base

Technology: integrated LED - Luminous flux: 400 lm

Switch type: touch-activated dimmer Function of the switch: change the brightness

(10 to 100%, click 4 s), change the light temperature (double short click), ON/OFF (short click, 1s)

Lighting mood:

Position I cool white (6000°K) dimmer switch (10 to 100%) Position 2 warm white (3000°K) dimmer switch (10 to 100%)

Type of fastening: A metal buckle located underneath the lamp for hanging

Type of power supply: battery - Min. Battery life (100%) 6 h

Battery use cycle: 300 cycle

Recharge time: 6 h - Type of recharge: USB Fermob magnet – 1.5 m cable (provided)

Bypass to prevent battery damage during wired use

2 A - 5 V - 6 W - IP54 (ingress protection) | IK 6 (impact resistance) | CE | FCC | UKCA

Energy rating: F

Powered by Smart & Green

396021 Acapulco Blue

396082 Cactus

396007 Lapilli Grey

396020 Red ochre

3960B9 Black Cherry 396047 Anthracite

396042 Liquorice

3960A5 Clay Grey



1.1 kg







ULLI

3810 - LAMP H.30 CM DESIGN BY STUDIO FERMOB









Ø18,1

0.6 kg







Polycarbonate diffuser Aluminium frame ABS Base

Technology: integrated LED - Luminous flux: 220 lm

Switch type: touch-activated dimmer

<u>Function of the switch:</u> change the light temperature (clic 1s),

change the brightness (10 to 100%, click 4 s),

change the light temperature (double short click), ON/OFF (short click, Is)

Lighting mood:

Position I warm white (3000°K) dimmer switch (10 to 100%) Position 2 cool white (6000°K) dimmer switch (10 to 100%)

Type of power supply: battery - Min. Battery life (100%): 6 h

Battery use cycle: 300 cycle

Recharge time: 4h - Type of recharge: USB Fermob magnet – 1.5 m cable (provided)

Bypass to prevent battery damage during wired use

2 A - 5 V - 3 W - IP54 (Ingress protection) | IK 6 (Impact resistance) | CE | FCC | UKCA

Energy rating: F

Powered by Smart & Green

Watch our video

381067 381092

Рорру Deep blue 381002 3810C6 Honey

Cedar green









PROTECTION & MAINTENANCE

OUR CARE AND MAINTENANCE RECOMMENDATIONS

DURING THE SEASON

- In the open air: design + material + surface treatment (anti-UV paint and moisture resistance) allow Fermob furniture to be left outside,
- Clean your furniture regularly, more frequently in places with high humidity and in salty environments near the sea,
- Use the **breathable, dirt-resistant protective covers** (Contract stack covers) to protect solid-top tables, sunloungers and chairs from dead leaves, pine sap and bird droppings.
- Use the water-repellent protective covers (Bellevie).

WINTER STORAGE

- To extend the lifespan of your garden furniture, we recommend storing it over **winter in a dry**, **well-ventilated place** where it will be **protected from impacts**, if at all possible,
- Clean and restore the Fermob products if necessary (rust remover / paint touch-up),
- Place the tables (and other products) on leg risers to create a slope that allows water to drain away,
- **Do not store anything on top of the furniture**, especially objects that may retain water and moisture (such as flower pots and trivets),
- Do not store the tables stacked with the table tops together, or the benches stacked with the seats together,
- Ideally, you should rest your seats against the tables rather than placing them upside down on top of them,
- Store folding items of furniture in their folded state, and under cover if possible,
- Stack chairs / sun loungers or other furniture, and store them under cover if possible,
- Wash, then bring in the cushions and store them away from dust and moisture,
- If you have to chain up your furniture, use sheathed chains to prevent scratching.



Never cover the furniture, especially with a non-breathable plastic tarpaulin that will retain moisture, to avoid paint discoloration and stains.

PROTECTING LIGHTS

PROTECTION IN DAILY USE

Fermob lights are quality products that require a few use and storage precautions in order to preserve all their properties and thus extend their life to the maximum.

- Store in a dry and ventilated area when not in use,
- Regularly clean (more so in areas with high levels of humidity),
- Recharge in a weatherproof environment with a temperature between +0 and +40°C,
- · Only use the charging and power supply equipment provided,
- · Do not let the lamp's battery run flat,
- · Opt for frequent, short-duration charges.



A battery's lifespan depends on several factors:

- The environment in which the product is used (temperature, humidity, etc.),
- The environment in which the product is charged (temperature, humidity, etc.).

PROTECTION DURING WINTER/STORAGE

- Store in a dry and ventilated area
- Clean and restore as required,
- Store your lamp with its battery partially charged, in a dry, well-ventilated spot, sheltered from direct sunlight.

CLEANING FURNITURE'S SURFACES

METAL CLEANING



To preserve their original appearance, most of our materials require **basic precautions**. They can be damaged, to a varying extent, depending on the product type, by:

- **mechanical** factors: wear and tear, scratches, impact, distortion, etc.
- **chemical** factors: acids, bases, solvents, etc.

Our surfaces must therefore be cleaned in accordance with the following principles:

- Systematically carry out a preliminary test on non-visible and restricted areas to determine compatibility (e.g. under the seat or table top)
- **Do not use abrasive products** or products which may affect the condition of the surface (abrasive sponges, wire wool, pads, scouring creams or powders, dyed textiles which may leave marks, etc.)
- **Do not use aggressive chemicals** (solvents, alkaline detergents, etc)
- Beware of retention zones in which cleaning products can be trapped, leading to further damage
- Comply with the conditions of use of the products used (dilution, diffusion, application time, etc.)
- · Do not use high pressure equipment
- If your table has a solid top, tilt it slightly, using the **Fermob leg risers supplied**, to prevent water from accumulating when it is not in use,
- · Avoid prolonged contact with objects that may retain water or moisture (such as flower pots or trivets),
- Never cover the furniture with non-breathable tarpaulin or plastic sheeting that will retain moisture,
- Clean off any bird droppings as soon as possible, as these are particularly corrosive.



Our recommendations are as follows:



Use soapy water or Fermob multi-purpose cleaner.



Apply with a **soft sponge** or a white soft cloth made of a non-abrasive material.

Rinse with water.



Wipe carefully with a microfibre cloth to prevent limescale marks.



For lights rated below IPX4 or with wall-mounted power supply*: **use a clean, damp cloth**. *Remember to turn off wall switch & cut power.



FOCUS ON MILD MULTI-PURPOSE CLEANER

- Allows you to clean all your Fermob furniture
- Effective on metal (aluminium or painted steel), Outdoor Technical Fabric (OTF), woven resin, synthetic fibres... (Do not use on teak)





The following products may be used but they should be diluted and subject to extensive compatibility testing:

- Ethanol
- Bleach (98% dilution)




We strongly advise against the following non-exhaustive list of products; unless appropriately diluted, they could damage our materials:

- Alcohol, isopropanol
- Petrol, white spirit, solvents, dissolvents
- Hydrocarbons, caustic soda, ammonia
- Alkaline detergents (pH>9)
- Acids
- Polish
- Products to remove graffiti
- etc

OUTDOOR TECHNICAL FABRIC (OTF) AND POLYMER THREAD CLEANING









Spray or apply with a **soft sponge**. Rub gently with a soft brush.



Rinse with water.

Very dirty surfaces may require a second application.

FABRIC CLEANING

PRE-WASHING AND ROUTINE CLEANING – Cushion in place on the furniture



Vacuum your cushion or, if there are any stains, quickly dab them to

absorb the liquid with a paper towel, cloth or towel.





Wash the fabric with a soft brush and soapy water (washing-up liquid or mild soap), giving special attention to any stains.



Rinse with clean water
Allow to dry in the open air.

WASHING - Removed cushion cover






Machine-wash on a gentle cycle compatible materials,

following the recommendations on the label.

Close the zip fasteners first.

Allow to dry in the open air.







At the end of the season, wash the cushion covers before tidying away/storing your cushions indoors, protected from dust and moisture.



We strongly advise against:

- dry cleaning,
- the use of devices such as high-pressure cleaners, tumble dryers and steam irons
- the use of abrasive liquids.

RESTORATION OF THE FURNITURE



We advise that any scrapes / missing paint should be repaired immediately to prevent corrosion of the metal (steel or aluminium). We recommend this type of touch-up for the parts of your furniture that cannot be seen.

RUSTPROOFING

If you observe minor corrosion on your **steel furniture** (most often located at the welds, rivets, joints, under the tops or under the seats) rivets, joints, under the trays or under the seats) the **Fermob anti-rust spray** will allow you to stop the spread of rust:





Follow the cleaning instructions to clean the oxidised surface.
Wipe carefully.





Sand the rusted area with sandpaper (grade 120 to 240), and then wipe the sanded area with a clean cloth to remove impurities.



Before using the rust-proofing product, shake the spray can well. Do a test spray onto a piece of cardboard.

Apply the rust-proofing product in a sweeping action.

Allow to dry for 5 to 10 minutes.



Move to the painting stage, where you will be using the **touch-up pen** or the **paint spray**.

You do not need to use a rust remover on aluminium furniture. Simply sand and repaint.

PAINT TOUCH-UP

Wear and tear of painted items (scratches, stains, etc.), whether natural or through failure to follow our precautions for use, can be alleviated on Textured shades (but not on Smooth shades) by applying paint spray:





Follow the cleaning instructions to clean the surface to be painted. Wipe carefully.



Before using the paint spray, shake the spray can well. Do a test spray onto a piece of cardboard.

Apply the paint in a sweeping action, starting the application on the outside of the product to avoid any risk of projection.

Allow to dry for 5 to 10 minutes.

A second coat of paint can be applied.

If the item has only had a slight knock, you could use the **touch-up pen** instead.

TREATMENT OF RINGS

A build-up of water combined with exposure to the sun can cause rings (whitish marks) to appear on your furniture.

This can happen if the furniture is not used as per Fermob's recommendations, such as if you:

- Use non-breathable protective covers
- Use a tarpaulin or plastic sheeting
- Store objects such as flower pots or trivets on top of the furniture
- Stack tables top-to-top
- Stack chairs and benches seat-to-seat or seat-to-table top
- Store a solid-top table over winter or for a prolonged period of non-use without using a table block. Note: The table blocks (supplied with the product and/or available separately) creates a slope to stop water pooling on the table top.



We recommend treating any rings as soon as they appear.





Follow the cleaning instructions to clean the problem area. Wipe carefully.



Use a heat gun (2,000 W, max. 630°C). Slowly move the heat gun over the problem area, holding it around 5 cm away from the surface.

The rings will gradually disappear.

Allow the surface to cool before using or cleaning the furniture.

ROLL-OUT OF A SOLUTION FOR PROFESSIONALS

We are able to offer to our professional clients a **viable disinfectant solution** with:

- **Two types of hand-held spray bottles**, developed specifically for COVID-19 by the company Berthoud, with a volume of 1 litre (small size) or 5 litres (large size).
- A professional disinfectant (called HAGRAL SPRAY SR), ready to use, doesn't require rinsing, is a virucide, according to the decree of 13 March 2020, is compatible with surfaces which are in contact with food and is colourless and odourless. A 98% diluted bleach solution may also be appropriate.



Professional disinfectant
HAGRAL SPRAY SR



Hand-held spray bottles

CORRELATIONS ESTABLISHED FOLLOWING APPLICATION TESTS

Large size 5L

• Surface covered **76 m²** (7.5 seconds/m²), or about 50 Alizé sunloungers (15 seconds/sunlounger)

Small size IL

• Surface covered **15 m²** (15 seconds/m²), or about 30 Bistro chairs (15 seconds/chair)

Under no circumstances can these two services constitute grounds for liability on the part of Fermob with regard to the product's appearance, their virucidal power or any other consequence related to their use.

ADDITIONAL ADVICE

A non-exhaustive list of household products including degreasers, disinfectants, antibacterial products, sanitisers, hydroalcoholic gel, fungicides, virucides and multi-purpose products (Sanytol, Cif, La Croix, Mr Clean, etc.) have been tested in our laboratory. **Most of these commercial products are diluted or have a neutral pH and do not damage our materials.**

This advice is provided in addition and is compatible with the general recommendations above; under no circumstances can this advice constitute grounds for liability on the part of Fermob with regard to the product's appearance, their virucidal power or any other consequence related to their use.

SYMBOLS

COLOURS



FABRIC CHARACTERISTICS



MAINTENANCE

2865 - TOUCH-UP SPRAY (150 ML)





Paint spray
Covers up scratches in the exact colour of your furniture
Covers a surface of 0,5–0,6m²

2973 - TOUCH-UP PEN (15 G)





Precision paint touch-up pen Covers up scratches in the exact colour of your furniture

000920 - RUST-PROOFING PRODUCT (150 ML)



Ready-to-use spray Stops rust spreading before painting

000901 - MULTI-PURPOSE CLEANER (500 ML)



Ready-to-use spray
For cleaning all Fermob furniture
Works on metal (aluminium or painted steel), Outdoor Technical Fabric (OTF), woven resin, synthetic fibres... (do not use on teak)

SPARE PARTS FOR LIGHTING



Following marketing, our continuous improvement process allows us to improve the user experience and extend the life span of our durable eco-designed products.

Fermob considers the design of its lighting products to make them easier to disassemble. Several components can be replaced. See below:

APLÔ

364600 - USB-C CABLE H24 LAMP



<u>Compatible with :</u> LAMP H.24 CM - APLÔ

364600



344200 - CONTROL BOARD FOR H.24 LAMP





<u>Compatible with :</u> LAMP H.24 CM - APLÔ



344100 - BATTERY FOR H.24 LAMP





Compatible with : LAMP H.24 CM - APLÔ

344000 - DIFFUSER FOR H.24 LAMP





<u>Compatible with :</u> LAMP H.24 CM - APLÔ

BALAD

364400 - USB-C CABLE X3 H12 LAMPS



Compatible with:

SET OF 3 LAMPS BAMBOO H.12 CM - BALAD SET OF 3 LAMPS H.12 CM - BALAD

364400



366000 - BATTERY-POWERED LIGHTING MODULE FOR H. 12 X3 LAMP





<u>Compatible with :</u> SET OF 3 LAMPS H.12 CM - BALAD

SET OF 3 LAMPS BAMBOO H. 12 CM - BALAD







Compatible with:

SET OF 3 LAMPS BAMBOO H. 12 CM - BALAD SET OF 3 LAMPS H. 12 CM - BALAD

366200



364100 - USB CABLE



Compatible with: LAMP BAMBOO H.25 CM - BALAD LAMP H.25 CM - BALAD LAMP H.38 CM - BALAD LAMP BAMBOO H.38 CM - BALAD

364100

LAMP H.41 CM - MOOON! Blanc

366300 - BATTERY-POWERED LIGHTING MODULE FOR H.25 LAMP





Compatible with: LAMP BAMBOO H.25 CM - BALAD LAMP H.25 CM - BALAD

366400 - DIFFUSER FOR H.25 LAMP





Compatible with: LAMP BAMBOO H.25 CM - BALAD LAMP H.25 CM - BALAD

366400

Transparent

366500 - BATTERY-POWERED LIGHTING MODULE FOR H.38 LAMP





Compatible with: LAMP BAMBOO H.38 CM - BALAD LAMP H.38 CM - BALAD

BALAD

366600 - DIFFUSER FOR H.38 LAMP





Compatible with : LAMP BAMBOO H.38 CM - BALAD LAMP H.38 CM - BALAD

366600

Transparent

284400 - BAG OF SCREWS FOR OFFSET STAND



<u>Compatible with :</u> OFFSET STAND - BALAD

2814A - BAG OF SCREWS FOR SPIKE STAND





<u>Compatible with :</u> SPIKE STAND - BALAD

281400 - 6 PADS AND CLIP FOR STANDS



Compatible with : UPRIGHT STAND - BALAD SPIKE STAND - BALAD OFFSET STAND - BALAD

281400

Noir

HOOPIK

355000 - POWER SUPPLY FOR STRING LIGHTS L. I 200 CM





Compatible with:

STRING LIGHTS L1200 CM – TYPE E & F - HOOPIK STRING LIGHTS L1200 CM – TYPE J - HOOPIK STRING LIGHTS L1200 CM - TYPE I - HOOPIK

355000 Black

539000 - FERMOB MAGNET CABLE





Compatible with:

LAMP H.41 MAX - MOOON! LAMP H.27 CM - OTO LAMP Ø24 CM - HOOPIK LAMP H.30 CM - ULLI

539000 Black

INOUÏ

364500 - CHARGING BASE FOR H44 LIGHTING STOOL



Compatible with:

LIGHTING STOOL H.44 CM - INOUÏ LAMP H.63 CM - MOOON! LAMP H.134 CM - MOOON!

364500



33 | 100 - LIGHTING MODULE FOR H.44 LIGHTING STOOL





 $\underline{\text{Compatible with :}}$

LIGHTING STOOL H.44 CM - INOUÏ

33 I 000 - BATTERY FOR H.44 LIGHTING STOOL





Compatible with:

LIGHTING STOOL H.44 CM - INOUÏ

539000 - FERMOB MAGNET CABLE





Compatible with:

LAMP H.41 MAX - MOOON! LAMP H.27 CM - OTO LAMP Ø24 CM - HOOPIK LAMP H.30 CM - ULLI

539000 Black

364100 - USB CABLE H41 LAMP





Compatible with:

LAMP H.41 CM - MOOON! LAMP H.25 CM - BALAD LAMP H.38 CM - BALAD LAMP BAMBOO H.25 CM - BALAD LAMP BAMBOO H.38 CM - BALAD



539500 - BATTERY-POWERED LIGHTING MODULE FOR H.41 LAMP





Compatible with:

LAMP H.41 CM - MOOON!

539600 - BATTERY FOR H.41 LAMP





Compatible with:

LAMP H.41 CM - MOOON!

MOOON!

539400 - DIFFUSER FOR H.41 LAMP





Compatible with:

LAMP H.41 CM - MOOON!

539400

Transparent

539700 - LIGHTING MODULE FOR H.41 MAX LAMP





Compatible with:

LAMP H.41 MAX - MOOON!

539800 - BATTERY FOR H.41 MAX LAMP





<u>Compatible with :</u> LAMP H.41 MAX - MOOON!

364500 - CHARGING BASE FOR H63 & H134 LAMPS



Compatible with : LAMP H.63 CM - MOOON! LAMP H.134 CM - MOOON! LIGHTING STOOL H.44 CM - INOUÏ

364500



539300 - LIGHTING MODULE FOR H.63 & H.134 LAMPS





Compatible with : LAMP H.63 CM - MOOON! LAMP H.134 CM - MOOON!

MOOON!

539200 - BATTERY FOR H.63 & H.134 LAMPS





Compatible with : LAMP H.63 CM - MOOON! LAMP H.134 CM - MOOON!

539100 - DIFFUSER FOR H.63 & H.134 LAMPS





Compatible with:

LAMP H.63 CM - MOOON!

LAMP H.134 CM - MOOON!

539100 Transparent

364800 - LIGHTING MODULE FOR Ø 15 WALL LIGHT



<u>Compatible with :</u> WALL LIGHT Ø 15 CM - MOOON!

364900 - POWER SUPPLY WALL LIGHT Ø15



<u>Compatible with :</u> WALL LIGHT Ø15 CM - MOOON!

364700 - GLASS DIFFUSER Ø15



Compatible with:
WALL LIGHT Ø15 CM - MOOON!
TRIPLE PENDANT LIGHTS Ø15 CM - MOOON!
LAMP H.41 MAX - MOOON!

MOOON!

538600 - LIGHTING MODULE FOR TRIPLE PENDANT LIGHTS Ø 15





Compatible with :
TRIPLE PENDANT LIGHTS Ø 15 CM - MOOON!

538500 - POWER SUPPLY FOR TRIPLE PENDANT LIGHTS Ø 15





<u>Compatible with :</u> PENDANT LIGHT Ø25 CM - MOOON!

538900 - LIGHTING MODULE FOR PENDANT LIGHTS Ø25





<u>Compatible with :</u> PENDANT LIGHT Ø25 CM - MOOON!

538800 - POWER SUPPLY FOR PENDANT LIGHTS Ø25





<u>Compatible with :</u>
TRIPLE PENDANT LIGHTS Ø 15 CM - MOOON!

538700 - GLASS DIFFUSER Ø25





<u>Compatible with :</u> PENDANT LIGHT Ø25 CM - MOOON!

OTO

539000 - FERMOB MAGNET CABLE





Compatible with:
LAMP H.41 MAX - MOOON!
LAMP H.27 CM - OTO
LAMP Ø24 CM - HOOPIK
LAMP H.30 CM - ULLI

539000 Noir

399900 - BATTERY FOR H.27 LAMP





<u>Compatible with :</u> LAMP H.27 CM - OTO

MARKETING TOOLS

AVAILABLE

Unit price exc. VAT

SALES TOOLS



TECHNICAL BOOKLET DECO

Ref: 000424V

15€

DISPLAYS



PLACEMAT DISPLAY CASE 10 removable shelves Collapsible Mobile, 2 casters for easy movement White steel

Ref: 000806

Free when you order 160 placemats or more (2 sets of 8 per colour)



DISPLAY CASE FERMOB LIGHTING & LUDO

Contact your customer department

Limited quantity. Get closer to your commercial contact

MARKETING TOOLS - RETAIL



COLOUR CHART CARD
Ref: 000403V

5€



SELD-STANDING APLÔ CARDS
Contact your customer department

SELD-STANDING BALAD CARDS
Contact your customer department

SELD-STANDING ULLI CARDS
Contact your customer department

4 €

SELD-STANDING MOOON! TABLE LIGHT CARDS
Contact your customer department

4 €

Join us:







fermob.com

